

GOVERNMENT NOTICE No. 559 Published On. 24/7/2020

THE VALUE ADDED TAX ACT,
(CAP. 148)

—
ORDER
—

(Made under section 6)
—

THE VALUE ADDED TAX (EXEMPTION) (SUPPLY OF PUMP AND GENERATOR PROJECTS IN GEITA, MARA, AND SHINYANGA REGION) (RURAL WATER SUPPLY (RUWASA)) (M/S DAVIS & SHIRTLIFF LTD) ORDER, 2020

Citation and
Commencement

1. This Order may be sited as The Value Added Tax (Exemption) Supply of Pipes for Rural Water Supply Projects in Geita, Mara, and Shinyanga Region (Rural Water Supply (RUWASA)) (M/S Davis & Shirliff Ltd) Order, 2020 and shall be deemed to have come into operation on the 19th day of June, 2020.

Exemption

2.-(1) Subject to the conditions specified in paragraph 3 of this Order, and any other conditions as may be specified by the Commissioner General of Tanzania Revenue authority (TRA), the whole of the Value Added Tax payable on the goods or services specified in the Schedule to this Order, imported or purchased prior to clearance through customs or locally purchased by or on behalf of M/s Davis & Shirliff Ltd for RUWASA to be used solely in the Supply of supply of pump and generator for Rural Water Supply Projects in Geita, Mara, and Shinyanga Region is hereby exempted.

(2) For avoidance of doubt, the goods imported or locally purchased, whether directly by the Government entity or through a contractor shall

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd)

GN. NO. 559 (Contd.)

remain the property of the Government of Tanzania.

Conditions

3. The exemption granted under this Order shall cease to have effect and the Value Added Tax shall become due and be payable as if this exemption had not been granted where the said goods or services are used for other purposes, sold or disposed of in any way to another person not entitled to enjoy similar privileges as conferred under this Order.

Expiry

4. This Order shall expire on 10th day of September, 2020.

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd)

GN. NO. 559 (Contd.)

SCHEDULE

(Made under paragraph 2(1))

GOODS AND SERVICE

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
1.1	5.5KW motor capacity; Discharge of 7.2m ³ /h at 157m head; minimum overall motor/pump efficiency of 55%; drop cable 72m length size compatible with motor capacity; heavy duty UPVC riser pipes 70m size compatible with flow; Safety rope 72m; steel cover plate 6mm thick; steel adapter set 6mm thick 150mm diam; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Borega "A" Water Project in Tarime District	Set	1	IMPORTED
2.1	3.0KW motor capacity; Discharge of 5.4m ³ /h at 115m head; minimum overall motor/pump efficiency of 66%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick; steel adapter set 6mm thick 150mm diam; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Nyantira Water Project in Tarime District	Set	1	IMPORTED
3.1	2.2KW motor capacity; Discharge of 7.5m ³ /h at 70m head; minimum overall	Set	1	IMPORTED

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd)

GN. NO. 559 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	motor/pump efficiency of 66%; Drop cable 52m length size compatible with motor capacity; Heavy duty UPVC riser pipes 50m size compatible with flow; Safety rope 52m; steel cover plate 6mm thick; steel adapter set 6mm thick 150mm diam; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Nyamwaga Water Project in Tarime District			
4.1	9.2KW motor capacity; Discharge of 11m ³ /h at 205m head; minimum overall motor/pump efficiency of 53%; Drop cable 115m length size compatible with motor capacity; Heavy duty UPVC riser pipes 112m size compatible with flow; Safety rope 115m; steel cover plate 6mm thick thick 200mm diam; steel adapter set; 12m power (armoured) cable compatible with motor capacity; Joint Kit; for Marasibora Water Project in Rorya District	Set	1	IMPORTED
5.1	4KW motor capacity; Discharge of 6m ³ /h at 131m head; minimum overall motor/pump efficiency of 40%; Drop cable 92m length size compatible with motor capacity; Heavy duty UPVC riser pipes 89m size compatible with flow; Safety rope 92m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for	Set	1	IMPORTED

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd)

GN. NO. 559 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	Nyanduga Water Project in Rorya District			
6.1	7.5KW motor capacity; Discharge of 19.3m ³ /h at 87m head; minimum overall motor/pump efficiency of 52%; Drop cable 7m length size compatible with motor capacity; Heavy duty UPVC riser pipes 6m size compatible with flow; Safety rope 8m; steel cover plate 6mm thick 150mm diam; steel adapter set; 17m power (armoured) cable compatible with motor capacity; Joint Kit; for Etaru Water Project in Musoma District	Set	1	IMPORTED
7.1	3-Phase, 45KW motor capacity; Vertical multistage pump with capacity to discharge of 67m ³ /h at 166m head; minimum overall motor/pump efficiency of 73%; cooling method-spines; 5m power (armoured) cable compatible with motor capacity; for Saragana Water Project in Musoma District	Set	1	IMPORTED

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd)

GN. NO. 559 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
8.1	3-Phase, 37KW motor capacity; Vertical multistage pump with capacity to discharge of 31m ³ /h at 216m head; minimum overall motor/pump efficiency of 70%; cooling method-spines; 5m power (armoured) cable compatible with motor capacity; for Saragana Water Project in Musoma District	Set	1	IMPORTED
9.1	3-Phase, 11KW motor capacity; Vertical multistage pump with capacity to discharge of 17.5m ³ /h at 120m head; minimum overall motor/pump efficiency of 60%; cooling method-spines; 60m power (armoured) cable compatible with motor capacity; for Masonga Water Project in Rorya District	Set	1	IMPORTED
10.1	7.5KW motor capacity; Discharge of 8m ³ /h at 190m head; minimum overall motor/pump efficiency of 52%; Drop cable 90m length size compatible with motor capacity; Heavy duty UPVC riser pipes 90m size compatible with flow; Safety rope 92m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 18m power (armoured) cable compatible with motor capacity; Joint Kit; for Makundusi Water Project in Serengeti District	Set	1	IMPORTED

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd)

GN. NO. 559 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
11.1	3-Phase, 45KW motor capacity; Vertical multistage pump with capacity to discharge of 63m ³ /h at 165m head; minimum overall motor/pump efficiency of 74%; cooling method-spines; 60m power (armoured) cable compatible with motor capacity; for Iramba Water Project in Bunda District	Set	1	IMPORTED
12.1	26KW motor capacity; Discharge of 48m ³ /h at 139m head; minimum overall motor/pump efficiency of 62%; Drop cable 8m length size compatible with motor capacity; Heavy duty GS riser pipe 6m size compatible with flow; Safety rope 10m; Sleeve jacket size compatible with pump and motor; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Kasahunga Water Project in Bunda District	Set	1	IMPORTED
13.1	3-Phase, 30KW motor capacity; Vertical multistage pump with capacity to discharge of 45.67m ³ /h at 139m head; minimum overall motor/pump efficiency of 70%; cooling method-spines; 60m power (armoured) cable compatible with motor capacity; for Kasahunga Water Project in Bunda District	Set	1	IMPORTED

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd)

GN. NO. 559 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
14.1	4KW motor capacity; Discharge of 4.2m ³ /h at 188m head; minimum overall motor/pump efficiency of 48%; Drop cable 112m length size compatible with motor capacity; Heavy duty UPVC riser pipes 112m size compatible with flow; Safety rope 112m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 11m power (armoured) cable compatible with motor capacity; Joint Kit; for Kowak Water Project in Rorya District	Set	1	IMPORTED
15.1	3KW motor capacity; Discharge of 3.55m ³ /h at 170m head; minimum overall motor/pump efficiency of 45%; Drop cable 80m length size compatible with motor capacity; Heavy duty UPVC riser pipes 78m size compatible with flow; Safety rope 80m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 14m power (armoured) cable compatible with motor capacity; Joint Kit; for Sirorisimba Water Project in Butiama District	Set	1	IMPORTED

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd)

GN. NO. 559 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
16.1	7.5KW motor capacity; Direct on line starting method; Discharge of 8m ³ /h at 195m head; minimum overall motor/pump efficiency of 52%; Drop cable 120m length size compatible with motor capacity; Heavy duty UPVC riser pipes 105m size compatible with flow; Safety rope 120m; steel cover plate 6mm thick 150mm diam; steel adapter set; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Masusula Water Project in Butiama District	Set	1	IMPORTED
17	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 7.5KW motor capacity, together with all necessary accessories to be installed for Masusula Water Project in Butiama District with the following specifications:	Set	1	IMPORTED
17.1	Generator 30 KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	IMPORTED

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd)

GN. NO. 559 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
18.1	5.5KW motor capacity; Discharge of 6m ³ /h at 163m head; minimum overall motor/pump efficiency of 45%; Drop cable 56m length size compatible with motor capacity; Heavy duty UPVC riser pipes m size compatible with flow; Safety rope 75m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 25m power (armoured) cable compatible with motor capacity; Joint Kit; for Ilamaba Water Project in Kahama District	Set	1	IMPORTED
19.1	10KW motor capacity; Discharge of 17m ³ /h at 120m head; minimum overall motor/pump efficiency of 56%; Drop cable 87m length size compatible with motor capacity; Heavy duty UPVC riser pipes 85m size compatible with flow; Safety rope 85m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 17m power (armoured) cable compatible with motor capacity; Joint Kit; for Mwabomba Water Project in Kahama District	Set	1	IMPORTED
20.1	7.5KW motor capacity; Discharge of 11m ³ /h at 160m head; minimum overall motor/pump efficiency of 50%; Drop cable 71m length size compatible with motor capacity; Heavy duty UPVC riser pipes 69m size compatible with flow; Safety rope 71m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 27m power (armoured) cable	Set	1	IMPORTED

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd)

GN. NO. 559 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	compatible with motor capacity; Joint Kit; for Nganzo Water Project in Bukombe District			
21.1	4KW motor capacity; Discharge of 6m ³ /h at 140m head; minimum overall motor/pump efficiency of 42%; Drop cable 67m length size compatible with motor capacity; Heavy duty UPVC riser pipes 65m size compatible with flow; Safety rope 67m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 27m power (armoured) cable compatible with motor capacity; Joint Kit; for Buganzo Water Project in Bukombe District	Set	1	IMPORTED
22.1	7.5KW motor capacity; Discharge of 6.5m ³ /h at 285m head; minimum overall motor/pump efficiency of 36%; Drop cable 80m length size compatible with motor capacity; Heavy duty UPVC riser pipes 78m size compatible with flow; Safety rope 80m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 27m power (armoured) cable compatible with motor capacity; Joint Kit; for Butinzya Water Project in	Set	1	IMPORTED

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd)

GN. NO. 559 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	Bukombe District			
23.1	5.5KW motor capacity; Discharge of 8m ³ /h at 150m head; minimum overall motor/pump efficiency of 54%; Drop cable 68m length size compatible with motor capacity; Heavy duty UPVC riser pipes 66m size compatible with flow; Safety rope 68m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 27m power (armoured) cable compatible with motor capacity; Joint Kit; for Ihanga Water Project in Chato District	Set	1	IMPORTED
24.1	4KW motor capacity; Discharge of 4m ³ /h at 160m head; minimum overall motor/pump efficiency of 41%; Drop cable 82m length size compatible with motor	Set	1	IMPORTED

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd)

GN. NO. 559 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 27m power (armoured) cable compatible with motor capacity; Joint Kit; for Mnekezi Water Project in Chato District			
25.1	7.5KW motor capacity; Discharge of 16m ³ /h at 120m head; minimum overall motor/pump efficiency of 55%; Drop cable 80m length size compatible with motor capacity; Heavy duty UPVC riser pipes 78m size compatible with flow; Safety rope 80m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 27m power (armoured) cable compatible with motor capacity; Joint Kit; for Nyakagwe Water Project in Geita District	Set	1	IMPORTED
26.1	7.5KW motor capacity; Discharge of 8m ³ /h at 230m head; minimum overall motor/pump efficiency of 52%; Drop cable 66m length size compatible with motor capacity; Heavy duty UPVC riser pipes 64m size compatible with flow; Safety rope 66m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 27m power (armoured) cable compatible with motor capacity; Joint Kit; for Mbogwe Water Project in	Set	1	IMPORTED

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Geita, Mara, and Shinyanga Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shiriliff Ltd)

GN. NO. 559 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	Mbogwe District			

Dodoma,
11th July, 2020

PHILIP.I. MPANGO
Minister of Finance and Planning