

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

---

GOVERNMENT NOTICE No. 560 Published On. 24/7/2020

THE VALUE ADDED TAX ACT,  
(CAP. 148)

—  
**ORDER**  
—

*(Made under section 6 (2))*

---

THE VALUE ADDED TAX (EXEMPTION) (SUPPLY OF PUMP AND GENERATOR PROJECTS IN KATAVI, KIGOMA, MANYARA, SINGIDA AND TABORA REGION) (RURAL WATER SUPPLY (RUWASA)) (M/S DAVIS & SHIRTLIFF LTD) ORDER, 2020

Citation and  
Commencement

1. This Order may be cited as the Value Added Tax (Exemption) Supply of Pipes for Rural Water Supply Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region (Rural Water Supply (RUWASA)) (M/S Davis & Shirtliff Ltd) Order, 2020 and shall be deemed to have come into operation on the 19<sup>th</sup> day of June, 2020.

Exemption

2.-(1) Subject to the conditions specified in paragraph 3 of this Order, and any other conditions as may be specified by the Commissioner General of Tanzania Revenue authority (TRA), the whole of the Value Added Tax payable on the goods or services specified in the Schedule to this Order, imported or purchased prior to clearance through customs or locally purchased by or on behalf of M/s Davis & Shirtliff Ltd for RUWASA to be used solely in the Supply of supply of pump and generator for Rural Water Supply Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region is hereby exempted.

(2) For avoidance of doubt, the goods imported or locally purchased, whether directly by the Government entity or through a contractor shall

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

---

*GN. NO. 560 (Contd.)*

remain the property of the Government of Tanzania.

Conditions

3. The exemption granted under this Order shall cease to have effect and the Value Added Tax shall become due and payable as if this exemption had not been granted where the said goods or services are used for other purposes, sold or disposed of in any way to another person not entitled to enjoy similar privileges as conferred under this Order.

Expiry

4. This Order shall expire on 18<sup>th</sup> day of September, 2020

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in  
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply  
(Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

SCHEDULE

*(Made under paragraph 2(1))*

GOODS AND SERVICE

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
1.1	7.5KW motor capacity; Discharge of 8.6m <sup>3</sup> /h at 168m head; minimum overall motor/pump efficiency of 50%; Drop cable 132m length size compatible with motor capacity; Heavy duty UPVC riser pipes 130m size compatible with flow; Safety rope 132m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Makuru Water Project in Manyoni District	Set	1	IMPORTED
2.1	3KW motor capacity; Discharge of 4.2m <sup>3</sup> /h at 118m head; minimum overall motor/pump efficiency of 40%; Drop cable 67m length size compatible with motor capacity; Heavy duty UPVC riser pipes 65m size compatible with flow; Safety rope 67m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	compatible with motor capacity; Joint Kit; for Mitundu Water Project in Manyoni District			
3.1	3KW motor capacity; Discharge of 3.8m <sup>3</sup> /h at 118m head; minimum overall motor/pump efficiency of 40%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Kashangu Water Project in Manyoni District	Set	1	IMPORTED
4.1	4KW motor capacity; Discharge of 4.4m <sup>3</sup> /h at 132m head; minimum overall motor/pump efficiency of 40%; Drop cable 92m length size compatible with motor capacity; Heavy duty UPVC riser pipes 90m size compatible with flow; Safety rope 92m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in  
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply  
(Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	(armoured) cable compatible with motor capacity; Joint Kit; for Kitalaka Water Project in Manyoni District			
5.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 3KW motor capacity; Discharge of 3.2m <sup>3</sup> /h at 132m head; minimum overall motor/pump efficiency of 45%; Drop cable 96m length size compatible with motor capacity; Heavy duty UPVC riser pipes 94m size compatible with flow; Safety rope 96m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Wembere Water Project in Iramba District	Set	1	IMPORTED
6.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 5m <sup>3</sup> /h at 154m head; minimum	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	overall motor/pump efficiency of 50%; Drop cable 92m length size compatible with motor capacity; Heavy duty UPVC riser pipes 90m size compatible with flow; Safety rope 92m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Kyalosangi Water Project in Iramba District			
7.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 9.8m <sup>3</sup> /h at 170m head; minimum overall motor/pump efficiency of 55%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Ibaga Water Project in Mkalama District	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in  
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply  
(Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
8.1	submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 10.7m <sup>3</sup> /h at 170m head; minimum overall motor/pump efficiency of 55%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Mughano Water Project in Singida District	Set	1	IMPORTED
9.1	submersible pump complete with motor, control panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 8.04m <sup>3</sup> /h at 218m head; minimum overall motor/pump efficiency of 52%; Drop cable 112m length size compatible with motor capacity; Heavy duty UPVC riser pipes 110m size compatible with flow; Safety rope 112m; steel cover plate 6mm thick thick	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Nyaranga Water Project in Manyoni District			
10.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 9.5m <sup>3</sup> /h at 100m head; minimum overall motor/pump efficiency of 55%; Drop cable 32m length size compatible with motor capacity; Heavy duty UPVC riser pipes 29m size compatible with flow; Safety rope 32m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Mgela Water Project in Iramba District	Set	1	IMPORTED
11	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 4KW motor capacity, together with all necessary accessories to be installed at Kitalaka Water Project in Manyoni District with the following specifications:	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
11.1	Generator 15KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	IMPORTED
12	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 3KW motor capacity, together with all necessary accessories to be installed for Wembere Water Project in Iramba District with the following specifications:	Set	1	IMPORTED
12.1	Generator 12KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in  
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply  
(Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
13	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 7.5KW motor capacity, together with all necessary accessories to be installed at Makuru Water Project in Manyoni District with the following specifications:	Set	1	IMPORTED
13.1	Generator 29KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.			
14	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 7.5KW motor capacity, together with all necessary accessories to be installed at Nyaranga Water Project in Manyoni District with the following specifications:	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
14.1	Generator 29KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to	Set	1	IMPORTED
	reduce noise; control systems: Key start control panel as standard, digital auto start.			
15	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 4KW motor capacity, together with all necessary accessories to be installed at Mgela Water Project in	Set	1	IMPORTED
	Iramba District with the following specifications:			
15.1	Generator 15KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
16.1	Supply of surface pump complete with motor, control panel and other accessories with following specifications: 3-Phase, star-delta starting method; 30KW motor capacity; Vertical multistage pump with capacity to discharge of 35.31m <sup>3</sup> /h at 165m head; minimum overall motor/pump efficiency of 70%; cooling method-spines; 5m power (armoured) cable compatible with motor capacity; for Munyegera Water Project in Buhigwe District	Set	1	IMPORTED
17.1	Supply of a surface pump complete with motor, control panel and other accessories with following specifications: 3-Phase, star-delta starting method, 30KW motor capacity; Vertical multistage pump with capacity to discharge of 33.16m <sup>3</sup> /h at 179m head; minimum overall motor/pump efficiency of 70%; cooling method-spines; 5m power (armoured) cable compatible with motor capacity; for Kitanga Water Project in Kasulu District	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
18.1	Supply of surface pump complete with motor, control panel and other accessories with following specifications:3-Phase, star-delta starting method, 30KW motor capacity; Vertical multistage pump with capacity to discharge of 38.8m <sup>3</sup> /h at 150m head; minimum overall motor/pump efficiency of 72%; cooling method-spines; 5m power (armoured) cable compatible with motor capacity; for Kinazi Water Project in Buhigwe District			
19.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications:7.5KW motor capacity; Discharge of 8m <sup>3</sup> /h at 196m head; minimum overall motor/pump efficiency of 50%; Drop cable 67m length size compatible with motor capacity; Heavy duty UPVC riser pipes 65m size compatible with flow; Safety rope 67m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 5m power (armoured) cable compatible with motor	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in  
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply  
(Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	capacity; Joint Kit; for Kilungu Water Project in Uyui District			
20.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications:3KW motor capacity; Discharge of 4.5m <sup>3</sup> /h at 141m head; minimum overall motor/pump efficiency of 43%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety	Set	1	<i>IMPORTED</i>
	rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Ishihimlwa Water Project in Uyui District			

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
21.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 3KW motor capacity; Discharge of 4.2m <sup>3</sup> /h at 104m head; minimum overall motor/pump efficiency of 37%; Drop cable 85m length size compatible with motor capacity; Heavy duty UPVC riser pipes 83m size compatible with flow; Safety rope 85m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Songambebe Water Project in Uyui District	Set	1	IMPORTED
22.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 7.5m <sup>3</sup> /h at 104m head; minimum overall motor/pump efficiency of 53%; Drop cable 32m length size compatible with motor capacity; Heavy duty UPVC riser pipes 30m size compatible with flow; Safety rope 32m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	(armoured) cable compatible with motor capacity; Joint Kit; for Kanoge Water Project in Kaliua District			
23.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 9.5m <sup>3</sup> /h at 93m head; minimum overall motor/pump efficiency of 54%; Drop cable 92 length size compatible with motor capacity; Heavy duty UPVC riser pipes 90m size compatible with flow; Safety rope 92m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Iboja - Sigili Water Project in Nzega District	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in  
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply  
(Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
24.1	Supply of a submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; direct on line starting method, Discharge of 3.8m <sup>3</sup> /h at 197m head; minimum overall motor/pump efficiency of 42%; Drop cable 102 length size compatible with motor capacity; Heavy duty UPVC riser pipes 100m size compatible with flow; Safety rope 102m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Mogwa Water Project in Nzega District	Set	1	IMPORTED
25.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 3KW motor capacity; direct on line starting method, Discharge of 3.4m <sup>3</sup> /h at 162m head; minimum overall motor/pump efficiency of 45%; Drop cable 72 length size compatible with motor capacity; Heavy duty UPVC riser pipes 70m size compatible with flow;	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	Safety rope 72m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Kayombo Water Project in Nzega District			
26.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 3.9m <sup>3</sup> /h 172 head; minimum overall motor/pump efficiency of 43%; Drop cable 62 length size compatible with motor capacity; Heavy duty UPVC riser pipes 60m size compatible with flow; Safety rope 62m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Usunga Water Project in Sikonge District	Set	1	IMPORTED
27				

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
27.1	3KW motor capacity; Discharge of 3.8m <sup>3</sup> /h at 154m head; minimum overall motor/pump efficiency of 41%; Drop cable 92 length size compatible with motor capacity; Heavy duty UPVC riser pipes 90m size compatible with flow; Safety rope 92m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Kabanga Water Project in Nzega District	Set	1	<i>IMPORTED</i>
28.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 3KW motor capacity; Discharge of 3.6m <sup>3</sup> /h at 154m head; minimum overall motor/pump efficiency of 43%; Drop cable 82 length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Mwamala Water Project in Nzega	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	District			
29.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 3.8m <sup>3</sup> /h 180 head; minimum overall motor/pump efficiency of 43%; Drop cable 72 length size compatible with motor capacity; Heavy duty UPVC riser pipes 70m size compatible with flow; Safety rope 72m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Maguguni Water Project in Igunga District	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in  
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply  
(Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
30	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 4KW motor capacity, together with all necessary accessories to be installed for Usinge Water Project in Iramba District with the following specifications:	Set	1	<i>IMPORTED</i>
30.1	Generator 15KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	<i>IMPORTED</i>
31	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 4KW motor capacity, together with all necessary accessories to be installed for Kanoge Water Project in Uyui District with the following specifications:	Set	1	<i>IMPORTED</i>
31.1	Generator 15 KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in  
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply  
(Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.			
32	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 3KW motor capacity, together with all necessary accessories to be installed at Kayombo Water Project in Uyui District with the following specifications:	Set	1	<i>IMPORTED</i>
32.1	Generator 12 KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	<i>IMPORTED</i>
33	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 4KW motor capacity, together with all necessary accessories to be installed for Maguguni Water Project in Uyui District with the following	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	specifications:			
33.1	Generator 15 KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high	Set	1	<i>IMPORTED</i>
	efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.			
34.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 3KW motor capacity; Discharge of 5m <sup>3</sup> /h at 130m head; minimum overall motor/pump efficiency of 44%; Drop cable 70m length size compatible with motor capacity; Heavy duty UPVC riser pipes 68m size	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	compatible with flow; Safety rope 70m; steel cover plate 6mm thick thick 140mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Endakiso Water Project in Babati District			
35.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 12.43m <sup>3</sup> /h at 150m head; minimum overall motor/pump efficiency of 55%; Drop cable 78m length size compatible with motor capacity; Heavy duty UPVC riser pipes 75m size compatible with flow; Safety rope 78m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 8m power (armoured) cable compatible with motor capacity; Joint Kit; for Narakauo Water Project in Simanjiro District	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
36.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: Grundfos or equivalent; 7.5KW motor capacity; Discharge of 10m <sup>3</sup> /h at 180m head; minimum overall motor/pump efficiency of 52%; Drop cable 83m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow;	Set	1	<i>IMPORTED</i>
	Safety rope 83m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Oljoro no 5 Water Project in Simanjiro District			
37.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 10m <sup>3</sup> /h at 160m head; minimum overall motor/pump efficiency of 54%; Drop cable 43m length size compatible with motor capacity; Heavy duty UPVC riser pipes 40m size compatible with flow; Safety rope 43m; steel cover plate	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	6mm thick thick 150mm diam; steel adapter set;10m power (armoured) cable compatible with motor capacity; Joint Kit; for Semonyandi Water Project in Mbulu District			
38.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 10m <sup>3</sup> /h at 190m head; minimum overall motor/pump efficiency of 53%; Drop cable 26m length size compatible with motor capacity; Heavy duty UPVC riser pipes 24m size compatible with flow; Safety rope 26m; steel cover plate 6mm thick thick150mm diam; steel adapter set;6m power (armoured) cable compatible with motor capacity; Joint Kit; for Gidimadoy Water Project in Mbulu District	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
39.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 5m <sup>3</sup> /h at 176m head; minimum overall motor/pump efficiency of 45%; Drop cable 80m length size compatible with motor capacity; Heavy duty UPVC riser pipes 78m size compatible with flow; Safety rope 80m; steel cover plate 6mm thick thick 150mm diam; steel adapter set;6m power (armoured) cable compatible with motor capacity; Joint Kit; for Hiradaw Water Project in Hanang District	Set	1	IMPORTED
40.1	set;13m power (armoured) cable compatible with motor capacity; Joint Kit; for Dawari Water Project in Hanang District	Set	1	IMPORTED
41.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 5.5KW motor capacity; Discharge of 7m <sup>3</sup> /h at 175m head; minimum overall motor/pump efficiency of 55%; Drop cable 81m length	Set	1	IMPORTED

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in  
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply  
(Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	size compatible with motor capacity; Heavy duty UPVC riser pipes 78m size compatible with flow; Safety rope 81m; steel cover plate 6mm thick thick 150mm diam; steel adapter set;13m power (armoured) cable compatible with motor capacity; Joint Kit; for Dumbeta Water Project in Hanang District			
42.1	For Gisambala/Waranga Water Project in Hanang District	Set	1	<i>IMPORTED</i>
43	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 7.5KW motor capacity , together with all necessary accessories to be installed at Gisambala/Waranga Water Project in Hanang District with the following specifications:	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
43.1	Generator 30KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	<i>IMPORTED</i>
44.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 10m <sup>3</sup> /h at 150m head; minimum overall motor/pump efficiency of 53%; Drop cable 104m length size compatible with motor capacity; Heavy duty UPVC riser pipes 100m size compatible with flow; Safety rope 104m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 8m power (armoured) cable compatible with motor capacity; Joint Kit; for Kibaoni Water Project in Mlele District	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
45.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 5.5KW motor capacity; Discharge of 10m <sup>3</sup> /h at 120m head; minimum overall motor/pump efficiency of 55%; Drop cable 94m length size compatible with motor capacity; Heavy duty UPVC riser pipes 91m size compatible with flow; Safety rope 94m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 34m power (armoured) cable compatible with motor capacity; Joint Kit; for Mtisi Water Project in Mpanda District	Set	1	<i>IMPORTED</i>
46	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 5.5KW motor capacity, together with all necessary accessories to be installed for Itenka A Water Project in Mpanda District with the following specifications:	Set	1	<i>IMPORTED</i>
46.1	Generator 20 KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high	Set	1	<i>IMPORTED</i>

*Value Added Tax (Exemption) (Supply of Pump And Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd)*

*GN. NO. 560 (Contd.)*

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (IMPORTED or Imported)
	efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.			

Dodoma,  
11<sup>th</sup> July, 2020

PHILIP I. MPANGO  
*Minister of Finance and Planning*