

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GOVERNMENT NOTICE No. 571 Published On. 24/7/2020

THE VALUE ADDED TAX ACT,
(CAP. 148)

—
ORDER
—

(Made under section 6)

—

THE VALUE ADDED TAX (EXEMPTION) (SUPPLY OF PUMP AND GENERATOR PROJECTS IN KAGERA, MWANZA AND SIMIYU REGION) (RURAL WATER SUPPLY (RUWASA)) (M/S TRANS AFRICA WATER SYSTEMS LTD) ORDER, 2020

Citation and
Commencement

1. This Order may be cited the Value Added Tax (Exemption) Supply of Pipes for Rural Water Supply Projects in Kagera, Mwanza and Simiyu Region (Rural Water Supply (RUWASA)) (M/S Trans Africa Water Systems Ltd) Order, 2020 and shall be deemed to have come into operation on the 19th day of June, 2020.

Exemption

2.-(1) Subject to the conditions specified in paragraph 3 of this Order, and any other conditions as may be specified by the Commissioner General of Tanzania Revenue authority (TRA), the whole of the Value Added Tax payable on the goods or services specified in the Schedule to this Order, imported or purchased prior to clearance through customs or locally purchased by or on behalf of M/s Trans Africa Water Systems Ltd for RUWASA to be used solely in the Supply of supply of pump and generator for Rural Water Supply Projects in Kagera, Mwanza and Simiyu Region is hereby exempted.

(2) For avoidance of doubt, the goods imported or locally purchased, whether directly by the Government entity or through a contractor shall

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

remain the property of the Government of Tanzania.

Conditions

3. The exemption granted under this Order shall cease to have effect and the Value Added Tax shall become due and payable as if this exemption had not been granted where the said goods or services are used for other purposes, sold or disposed of in any way to another person not entitled to enjoy similar privileges as conferred under this Order.

Expiry

4. This Order shall expire on 10th day of September, 2020.

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

SCHEDULE

(Made under paragraph 2(1))

GOODS AND SERVICE

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
1.1	4KW motor capacity; Discharge of 8m ³ /h at 126m head; minimum overall motor/pump efficiency of 53%; Drop cable 37m length size compatible with motor capacity; Heavy duty UPVC riser pipes 35m size compatible with flow; Safety rope 37m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Mtukula Water Project in Misenyi District	Set	1	IMPORTED	
2.1	3KW motor capacity; Discharge of 5m ³ /h at 129m head; minimum overall motor/pump efficiency of 43%; Drop cable 30m length size compatible with motor capacity; Heavy duty UPVC riser pipes 28m size	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
	compatible with flow; Safety rope 30m; steel cover plate 6mm thick thick 125mm diam; steel adapter set; 12m power (armoured) cable compatible with motor capacity; Joint Kit; for Mkwenda Water Project in Kyerwa District				
3.1	2.2KW motor capacity; Discharge of 5.2m ³ /h at 94m head; minimum overall motor/pump efficiency of 43%; Drop cable 30m length size compatible with motor capacity; Heavy duty UPVC riser pipes 28m size compatible with flow; Safety rope 30m; steel cover plate 6mm thick thick 125mm diam; steel adapter set; 12m power (armoured) cable compatible with motor capacity; Joint Kit; for Kitwenchengula Water Project in Kyerwa District	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
4.1	3KW motor capacity; Discharge of 3.6m ³ /h at 145m head; minimum overall motor/pump efficiency of 43%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 12m power (armoured) cable compatible with motor capacity; Joint Kit; for Kumuguga Water Project in Ngara District	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
5.1	3KW motor capacity; Discharge of 4.3m ³ /h at 111m head; minimum overall motor/pump efficiency of 38%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for mukubu Water Project in Ngara District	Set	1	IMPORTED	
6.1	7.5KW motor capacity; Discharge of 14m ³ /h at 126m head; minimum overall motor/pump efficiency of 56%; Drop cable 42m length size compatible with motor capacity; Heavy duty UPVC riser pipes 40m size compatible with flow; Safety rope 42m; steel cover plate 6mm thick thick 200mm diam; steel adapter set; 18m power (armoured) cable compatible with motor capacity; Joint Kit; for Runazi Water	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
	Project in Biharamulo District				
7.1	5.5KW motor capacity; Discharge of 10m ³ /h at 140m head; minimum overall motor/pump efficiency of 54%; Drop cable 25m length size compatible with motor capacity; Heavy duty UPVC riser pipes 23m size compatible with flow; Safety rope 25m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 12m power (armoured) cable compatible with motor capacity; Joint Kit; for Kabindi Water Project in Biharamulo District	Set	1	IMPORTED	
8.1	3KW motor capacity; Direct on line starting method, Discharge of 3.6m ³ /h at 145m head; minimum overall motor/pump efficiency of 45%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
	thick thick 150mm diam; steel adapter set; 12m power (armoured) cable compatible with motor capacity; Joint Kit; for Kumuguba Water Project in Ngara District				
9.1	3KW motor capacity; Discharge of 4.12m ³ /h at 111m head; minimum overall motor/pump efficiency of 40%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 12m power (armoured) cable compatible with motor capacity; Joint Kit; for Mukubu Water Project in Ngara District	Set	1	IMPORTED	
10	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 3KW motor capacity, together with all necessary accessories to be installed for Kumuguba Water Project in Ngara District with the	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
	following specifications:				
10.1	Generator 11KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	IMPORTED	
11.1	Generator 11KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
12.1	4KW motor capacity; Discharge of 6m ³ /h at 130m head; minimum overall motor/pump efficiency of 40%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Igaganulwa Water Project in Bariadi District	Set	1	IMPORTED	
13.1	4KW motor capacity; Discharge of 6.5m ³ /h at 90m head; minimum overall motor/pump efficiency of 40%; Drop cable 57m length size compatible with motor capacity; Heavy duty UPVC riser pipes 55m size compatible with flow; Safety rope 57m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Kasoli Water Project in Bariadi	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
	District				
14.1	4KW motor capacity; Discharge of 6m ³ /h at 90m head; minimum overall motor/pump efficiency of 40%; Drop cable 57m length size compatible with motor capacity; Heavy duty UPVC riser pipes 55m size compatible with flow; Safety rope 57m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Mkololo Water Project in Bariadi District	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
15.1	5.5KW motor capacity; Discharge of 6m ³ /h at 175m head; minimum overall motor/pump efficiency of 45%; Drop cable 67m length size compatible with motor capacity; Heavy duty UPVC riser pipes 65m size compatible with flow; Safety rope 67m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Mwamlapa Water Project in Bariadi District	Set	1	IMPORTED	
16.1	7.5KW motor capacity; Discharge of 10.5m ³ /h at 155m head; minimum overall motor/pump efficiency of 52%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Ilamata Water	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
	Project in Maswa District				
17.1	7.5KW motor capacity; Discharge of 13m ³ /h at 150m head; minimum overall motor/pump efficiency of 55%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Isagenghe Water Project in Maswa District	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
18.1	7.5KW motor capacity; Discharge of 10m ³ /h at 170m head; minimum overall motor/pump efficiency of 54%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC riser pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Masela Water Project in Maswa District	Set	1	IMPORTED	
19.1	3-Phase, 11KW motor capacity; Vertical multistage pump with capacity to discharge of 15.2 m ³ /h at 120m head; minimum overall motor/pump efficiency of 90%; cooling method-spines; 5m power (armoured) cable compatible with motor capacity; for Lamadi Water Project in Busega District	Set	1	IMPORTED	
20.1	4KW motor capacity; Discharge of 3.34m ³ /h at 216m head; minimum overall motor/pump efficiency of 50%;	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
	Drop cable 58m length size compatible with motor capacity; Heavy duty UPVC riser pipes 56m size compatible with flow; Safety rope 58m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Line A Water Project in Itilima District				
21.1	3KW motor capacity; Discharge of 3.34m ³ /h at 216m head; minimum overall motor/pump efficiency of 45%; Drop cable 58m length size compatible with motor capacity; Heavy duty UPVC riser pipes 56m size compatible with flow; Safety rope 58m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Line B Water Project in Itilima District	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
22.1	4KW motor capacity; Discharge of 5.4m ³ /h at 146m head; minimum overall motor/pump efficiency of 50%; Drop cable 52m length size compatible with motor capacity; Heavy duty UPVC riser pipes 50m size compatible with flow; Safety rope 52m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Shishani BH 1 Water Project in Itilima District	Set	1	IMPORTED	
23.1	2.2KW motor capacity; Discharge of 3.57m ³ /h at 103m head; minimum overall motor/pump efficiency of 41%; Drop cable 64m length size compatible with motor capacity; Heavy duty UPVC riser pipes 62m size compatible with flow; Safety rope 64m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Migato Water	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
	Project in Itilima District				
24.1	2.2KW motor capacity; Discharge of 3.2m ³ /h at 135m head; minimum overall motor/pump efficiency of 41%; Drop cable 78m length size compatible with motor capacity; Heavy duty UPVC riser pipes 76m size compatible with flow; Safety rope 78m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Sawida Water Project in Itilima District	Set	1	IMPORTED	
25.1	3KW motor capacity; Discharge of 2.47m ³ /h at 227m head; minimum overall motor/pump efficiency of 44%; Drop cable 81m length size compatible with motor capacity; Heavy duty UPVC riser pipes 79m size compatible with flow; Safety rope 81m; steel cover plate 6mm thick thick 150mm	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
	diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Mahembe Water Project in Itilima District				
26.1	4KW motor capacity; Discharge of 3.6m ³ /h at 200m head; minimum overall motor/pump efficiency of 46%; Drop cable 63m length size compatible with motor capacity; Heavy duty UPVC riser pipes 61m size compatible with flow; Safety rope 63m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Nguno Water Project in Itilima District	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
27.1	3KW motor capacity; Discharge of 2.47m ³ /h at 227m head; minimum overall motor/pump efficiency of 44%; Drop cable 81m length size compatible with motor capacity; Heavy duty UPVC riser pipes 79m size compatible with flow; Safety rope 81m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Nyantugutu Water Project in Itilima District	Set	1	IMPORTED	
28.1	Generator 15KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
29.1	Generator 21KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	IMPORTED	
30.1	Generator 9KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	IMPORTED	
31.1	Generator 9KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours	Set	1	IMPORTED	
	operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.				

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
32.1	3-Phase, 5.5KW motor capacity; Vertical multistage pump with capacity to discharge of 14.8 m ³ /h at 82m head; minimum overall motor/pump efficiency of 90%; cooling method-spines; 5m power (armoured) cable compatible with motor capacity; for Ilugwa Water Project in Ukerewe District	Set	1	IMPORTED	
33.1	3-Phase, 22KW motor capacity; Vertical multistage pump with capacity to discharge of 33 m ³ /h at 172m head; minimum overall motor/pump efficiency of 90%; cooling method-spines; 5m power (armoured) cable compatible with motor capacity; for Muriti Water Project in Ukerewe District	Set	1	IMPORTED	
34.1	2.2KW motor capacity; Discharge of 5.6m ³ /h at 91m head; minimum overall motor/pump efficiency of 45%; Drop cable 62m length size compatible with motor capacity; Heavy duty UPVC riser pipes 60m size compatible with flow; Safety rope 62m;	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
	steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Igombe Water Project in Magu District				
35.1	4KW motor capacity; Discharge of 6.12m ³ /h at 149m head; minimum overall motor/pump efficiency of 45%; Drop cable 94m length size compatible with motor capacity; Heavy duty UPVC riser pipes 92m size compatible with flow; Safety rope 94m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Kabale Water Project in Magu District	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
36.1	4KW motor capacity; Discharge of 5.76m ³ /h at 130m head; minimum overall motor/pump efficiency of 45%; Drop cable 58m length size compatible with motor capacity; Heavy duty UPVC riser pipes 56m size compatible with flow; Safety rope 58m; steel cover plate 6mm thick thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Ngaya Water Project in Magu District	Set	1	IMPORTED	
37.1	3-Phase, 7.5KW motor capacity; Vertical multistage pump with capacity to discharge of 19.8 m ³ /h at 91m head; minimum overall motor/pump efficiency of 72%; cooling method-spines; 5m power (armoured) cable compatible with motor capacity; for Yichobela Water Project in Ukerewe District	Set	1		

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
38	Supply of Solar Pump with the following specifications: 3-phase, 3KW motor, Discharge of 3.5m ³ /h at 133m head, Drop cable 82m length, Heavy duty UPVC riser pipes 82m, cover plate, adapter set, 20m armoured cable for Magurukenda WSS, Sengerema District	Set	1	IMPORTED	
38.1	Supply and installation of submersible solar water pump complete with motor, Solar Box ABB inverter, combiner box (PV dis-connector), lighting arrestors systems, solar modules (270W or equivalent), supporting structure (single string) made of 3" diameter black pipes columns spaced at 1m apart or as shall be approved by engineer	Set	1	IMPORTED	
39	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 5.5KW motor capacity, together with all necessary accessories to be installed for Irugwa Water Project in Ukerewe District with the following	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
	specifications:				
39.1	Generator 21KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	IMPORTED	
40	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 2.2KW motor capacity, together with all necessary accessories to be installed for Igombe Water Project in Magu District with the following specifications:	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

S/N	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY (QTY)	PLACE OF PURCHASE LOCAL OR IMPORTED	COMMITTEE REMARKS
40.1	Generator 8KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	IMPORTED	
41	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 4KW motor capacity, together with all necessary accessories to be installed for Igombe Water Project in Kabale District with the following specifications:	Set	1	IMPORTED	

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Kagera, Mwanza and Simiyu Region) (Rural Water Supply (Ruwasa)) (M/S Trans Africa Water Systems Ltd)

GN. NO. 571 (Contd.)

41.1	Generator 15KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems: Key start control panel as standard, digital auto start.	Set	1	IMPORTED	
------	---	-----	---	----------	--

Dodoma,
11th July, 2020

PHILIP.I. MPANGO
Minister of Finance and Planning