

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GOVERNMENT NOTICE NO. 585 published on 31/7/2020

THE VALUE ADDED TAX ACT,
(CAP. 148)

ORDER

(Made under section 6 (2))

THE VALUE ADDED TAX (EXEMPTION) (RESILIENT AND SUSTAINABLE SYSTEMS FOR HEALTH PROGRAM) (COMPLETION OF MATERNITY BLOCK AT MAWENZI REGIONAL REFERRAL HOSPITAL – KILIMANJARO) (MAWENZI REGIONAL REFERRAL HOSPITAL – KILIMANJARO) ORDER, 2020

Citation and Commencement

1. This Order may be cited as the Value Added Tax (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro) and shall be deemed to have come into operation on the 9th day of June, 2020.

Exemption

2.-(1) Subject to the conditions specified in paragraph 3 of this Order, and any other conditions as may be specified by the Commissioner, the whole of the Value Added Tax payable on the goods specified in the Schedule to this Order imported or purchased prior to clearance through customs or locally purchased by or on behalf of Mawenzi Regional Referral Hospital – Kilimanjaro to be used solely in the project for Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro is hereby exempt.

(2) For avoidance of doubt, the goods imported or locally purchased, whether directly by the Government entity or through a contractor shall remain the property of the Government of Tanzania.

Conditions

3. The exemption granted under this Order shall cease to have effect and the Value Added Tax shall become due and payable as if this exemption had not been made where the said goods or services are used for other purposes, sold or disposed of in any way to another person not entitled to enjoy similar privileges as

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

conferred under this Order.

Expiry 4. This Order shall expire on 9th day of December, 2020.

—————
SCHEDULE

(Made under paragraph 2(1))

—————
GOODS

GOODS. (BUILDING MATERIALS)

| S/N | ITEM DESCRIPTION | QUANTIT Y (QTY) | UNIT OF MEASUR E | PLACE OF PURCHASE OF ITEMS (Local or Imported) |
|-----|--|--------------------|------------------------|---|
| | • GOODS | | | |
| | GROUND, 1 st , 2 nd and 3 rd FLOOR | | | |
| A | Supply and fix composite, special Aluminium partitions profile size 100x45mm section; silver alloy Alluminium frame spaced at 950 mm to horizontal and 1600mm to vertical centre to centre at the bottom; spaced at 950mm to horizontal and 1200mm to vertical centre to centre at the middle and spaced at 950mm to horizontal and 700mm to vertical centre to centre at the top, with and including 12mm thick fire resistant MDF board 1600mm high at the bottom, 6mm thick high at the aluminium frame, 6mm thick toughened wire | 180 | m2 | Local. |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|--|-------|------------|--------|
| | glass/and 6mm thick clear glass 700mm high at the top, including mullions transomed to Architects drawing | | | |
| B | 6mm thick clear glass sheet: Glazing to timber | 160 | m2 | Local. |
| C | Wall Tiles | | | |
| | 12mm Thick Floor screed (1:3) | 1413 | m2 | Local. |
| | Cement | 185 | Bags | Local. |
| | Sand | 19 | m3 | Local. |
| | | | | Local. |
| | 200x300x8mm Thick wal Tiles | 1472 | Boxes | Local. |
| | Strips | 70 | Pcs | Local. |
| | | | | Local. |
| D | Prepare and apply one undercoat and two finishing coats of vinyl silk paint DURA COAT or any equal approved paint | | | |
| | To plastered walls and columns | 17399 | m2 | Local. |
| | Gypsum powder | 1160 | Bags | Local. |
| | emulsion paint | 689 | 20 Lts Bck | Local. |
| | Silk | 217 | 20 Lts Bck | Local. |
| | | | | |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|--|------|------|--------|
| | FLOOR FINISH | | | |
| A | Terrazo floor finish | | | |
| | Aggregates 1bag=25kg | 9195 | Bags | Local. |
| | White cement | 3180 | Bags | Local. |
| | Black and white Strips @2m | 7371 | Pcs | Local. |
| | Stones 8"x4" | 150 | Pcs | Local. |
| | Coloured powder | 108 | Bags | Local. |
| | Polish @3.5 ltrs | 195 | Bckt | Local. |
| | Wood 6"x2" "Vifuu" | 45 | Pcs | Local. |
| | | | | |
| | THEATRE AND LABORATORY FINISHING | | | |
| B | Epoxy water proofing material laid to cement and sand screed bed | 473 | m2 | Local. |
| | | | | |
| | DOORS | | | |
| C | 40mm thick flush door size 1800 x 2400mm high | 16 | No | Local. |
| D | Ditto 1500x2400 | 25 | No | Local. |
| E | Ditto; 1200 x 2400mm | 2 | No | Local. |
| F | Ditto 900x2400 | 214 | No | Local. |
| G | Ditto 800x2100 | 105 | No | Local. |
| | GLAZING: | | | |
| H | Panes over 0.1m ² not exceeding 0.5m ² | 182 | m2 | Local. |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|--|------|------------|--------|
| | IRON MONGERY | | | |
| J | Two level ditto. | 101 | No | Local. |
| A | Three level ditto. | 221 | No | Local. |
| B | DSSW Aluminum butt hinges type U508/2; Size 101.6 x 66.67x3mm. | 648 | No | Local. |
| C | 30mm Diameter rubber doorstop fixed to concrete floor or block work base. | 324 | No | Local. |
| D | 100 mm long Brass barrel bolts. | 101 | No | Local. |
| E | General surface of doors and frames | 2577 | m2 | Local. |
| | sanding sealer | 341 | Litres | Local. |
| | tinner | 45 | Litres | Local. |
| | Varnish | 1546 | Litres | Local. |
| | | | | |
| | <u>Prepare and apply one undercoat and two finishing coats of weatheguard paint as per DURA COAT or any other equal and approved paint</u> | | | |
| | | | | |
| F | Soffit of Ramp, Landing, Beams and wall sides to ramp | 799 | m2 | Local. |
| | Gypsum powder | 33 | Bags | Local. |
| | Emulsion paint | 22 | 20 Lts Bck | Local. |
| | Weather guard | 15 | 20 Lts Bck | Local. |
| | | | | |
| | CEILING FINISHINGS | | | |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|--|-------|------------|--------|
| G | Suspended ceiling (Mineral Fibre Ceiling board) | 6268 | m2 | Local. |
| | 595mmx595mmx15mm | 1771 | Boxes | Local. |
| | | | | Local. |
| H | 9mm Thick gypsum board fixed to treated softwood branderling at 600mm centres (m/s) including all necessary accessories. | 1915 | m2 | Local. |
| | 1.2mmx2.8mm @ 1 pc | 665 | Pcs | Local. |
| | | | | |
| A | Gypsum cornice (2.5m @ 1pc) | 579 | Pcs | Local. |
| B | Extra over for ceiling access hatches size 600 x 600mm. | 5 | No | Local. |
| | | | | |
| | <u>Softwood; pressure impregnated with preservatives</u> | | | |
| C | Branderling. (2"x2" timber treated) | 18967 | ft | Local. |
| | | | | |
| | <u>Prepare and apply one thinned coat and two full coats of emulsion paint:</u> | | | Local. |
| D | Gypsum board and Cornice | | | |
| | Gypsum powder | 135 | Bags | Local. |
| | Emulsion paint | 105 | 20 Lts Bck | Local. |
| | | | | |
| | <u>ROOF COVERINGS:</u> | | | |
| E | IT 5 - G 28 Roofing sheets 1 pc @ | 43 | No | Local. |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|---|------|------|--------|
| | 3m | | | |
| F | 50 x 150mm Rafter | 77 | m | Local. |
| G | 50 x 75mm Purlin | 84 | m | Local. |
| H | 50 x 100mm Struts | 38 | m | Local. |
| J | 50 x 150mm Wall plate | 19 | m | Local. |
| K | 4mm Aluminium wire | 5 | Kg | Local. |
| L | Nails | 100 | Kg | Local. |
| M | Scaffoldings | 2000 | m2 | Local. |
| N | Cement | 292 | Bags | Local. |
| P | Sand | 21 | m3 | Local. |
| Q | Aggregate | 42 | m3 | Local. |
| R | 8mm diametre bars | 27 | pc | Local. |
| S | 12mm diametre bars | 140 | pc | Local. |
| T | 50 x 100mm timber | 200 | m | Local. |
| U | Marine boards | 85 | pc | Local. |
| V | Props (mirunda) | 200 | pc | Local. |
| W | Binding wire | 40 | Kg | Local. |
| X | Marking/sole tape | 2 | Nr | Local. |
| Y | Roofing sheet nails | 20 | kg | Local. |
| | <u>Roof Drainage</u> | | | |
| Z | 150mm Diammeter cast iron fulbora built into concrete slab with and including grating | 22 | No | Local. |
| | | | | |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | PLUMBING INSTALLATION | | | |
|---|---|----|----|--------|
| A | Western type low level W.C suite | 5 | No | Local. |
| B | Finned and plain plastic W.C outlet connector | 5 | No | Local. |
| C | White vitreous china wash hand basin (HWB), size 750x440x200mm complete | 98 | No | Local. |
| D | White vitreous china Asian type complete with flush valve cistern, | 79 | No | Local. |
| E | Supply and install complete set of Disabled toilets with all necessary accessories including HWB and handrails. | 8 | No | Local. |
| F | Wall Hung Urinal, Sensor Operated Size : 460 x 300 x 710 mm | 24 | No | Local. |
| G | Hand drier with all necessary accessories | 10 | No | Local. |
| H | 80mm Diameter high quality plastic floor drain trap. | 30 | No | Local. |
| J | 600 x 900 x 6mm thick looking mirror. | 98 | No | Local. |
| K | 150mm long toilet roll holder (stainlesssteel) | 84 | No | Local. |
| L | Supply and Install Soap dispenser stainless steel (MEDICLINICS or equal and approved by Services Engineer) | 6 | No | Local. |
| M | Shurtuff (Dotche spray) 13mm diameter X 1000mm long | 84 | No | Local. |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|--|----|----|--------|
| N | Stainless steel sink Double Bowl Double drainer; complete with 38mm. chromium plated bottle trap; waste plug; chain and pin; 13mm. chromium plated pillar tap; including a pair of cast iron cantilever support brackets plugged to blockwork. | 5 | No | Local. |
| | | | | |
| A | Shower mixer with 2 tap hot and cold manual mixer with angled shower arm triton shower head chrome plated bodily | 13 | No | Local. |
| B | Stainless steel Double towel rail 900mm Length | 13 | No | Local. |
| C | ARISTON Water Heater tank of 50litres with all the necessary fittings and valves | 2 | No | Local. |
| | <u>Hospital sanitaris accessories</u> | | | |
| D | Stainless steel sluice wall mounted sink Complies with the requirements of HBN 00-10, Hospital disposal unit model DU, grade 304 stainless steel with a satin polish finish, anti drip edge and turn down to all four sides. Overall size 600mm x 600mm. | 7 | No | Local. |
| E | Double bowl -drop -in sink heavy duty industrial grade stainless steel with faucet ledge consisting of a single drop size of 160 x 140 x 50mm for laboratory | 10 | No | Local. |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|--|----|------|--------|
| F | General purpose sink for wall mounting, stainless steel, surface satin finished, material thickness 1.2 mm, seamless welded bowl with dimensions 420x400x170 mm, rounded edges, 1 1/2" plug waste, drainage back right, 40 mm rear upstand, incl. stainless steel screws and dowels. with stainless steel hinged grating with rubber bumps for cleaners room | 5 | No | Local. |
| G | Stainless steel Scrub-up Sink, Knee Operated, Dual Station Station, wall Mounted with double bowl with dimension 26 1/2" Depth x 64 1/4" Width x 46 1/4" Height. Wash Height 35 1/2" comprising of Stainless steel perforated strainer complete with Rigid Gooseneck Laboratory Faucet tap | 4 | No | Local. |
| | | | | |
| A | All necessary accessories for hospital sanitaris equipments | 1 | Item | Local. |
| | | | | |
| | <u>DIZANY COLD WATER INSTALLATION:</u> | | | Local. |
| | <u>Supply pipes:</u> | | | |
| B | 50 mm. Diameter supply pipes; in trenches. | 80 | M | Local. |
| | | | | |
| | <u>Distribution pipes:</u> | | | |
| C | 50mm Diameter pipe freely standing to upper tank | 35 | M | Local. |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|---|-----|----|--------|
| D | Extra; elbow | 10 | No | Local. |
| E | Ditto connectors | 10 | No | Local. |
| F | 50mm Diameter freely from upper tank | 8 | M | Local. |
| G | 25 mm. Diameter supply pipes; in blockwork chase. | 412 | M | Local. |
| H | Extra ditto; elbow | 187 | No | Local. |
| J | Extra tee | 350 | No | Local. |
| K | Extra; connectors | 534 | No | Local. |
| L | Extra; nipple | 300 | No | Local. |
| M | 13mm diameter pipe in blockwall chase BS 1010 or 1212 | 100 | M | Local. |
| N | Extra; nipple | 120 | No | Local. |
| P | Extra; 13mm elbow. | 65 | No | Local. |
| Q | Ditto; tee. | 40 | No | Local. |
| | | | | |
| A | 13mm Tube in short lengths; including nuts. | 100 | No | Local. |
| | | | | |
| | <u>Flexible piping:</u> | | | Local. |
| B | Flexible pipe to cistern | 56 | No | Local. |
| C | Flexible pipe to Hand Wash Basin | 98 | No | Local. |
| D | Flexible pipe to kitchen sink | 5 | No | Local. |
| | <u>WASTE AND VENT PIPES:</u> | | | |
| | <u>UPVC pipes; Class 'E'; including fittings in running length.</u> | | | |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|---|-----|----|--------|
| E | 38mm Diameter pipe; in chase in block work. | 415 | M | Local. |
| F | Extra; tee. | 312 | No | Local. |
| G | Extra; plug. | 305 | No | Local. |
| H | 75mm pipe; ditto. | 330 | M | Local. |
| J | 75mm Diameter PVC vent cowl. | 22 | No | Local. |
| K | 100mm Diameter; ditto. | 14 | No | Local. |
| | | | | |
| | <u>SOIL AND PIPES:</u> | | | |
| | <u>UPVC pipes and fittings; Class 'B'; in running lengths; BS 4660 for underground pipes and B.S 3506 for pipes above ground.</u> | | | |
| L | 100mm. Diameter pipes; fixed to walls. | 80 | M | Local. |
| M | Ditto; laid in trenches. | 289 | M | Local. |
| N | Extra; 100mm bend. | 104 | No | Local. |
| P | Extra; tee. | 104 | No | Local. |
| Q | Supply and fix rain water gutter of 100mm diameter | 240 | M | Local. |
| R | Supply and fix down pipes for rain water collection from the gutter | 875 | M | Local. |
| | <u>Ancillaries:</u> | | | |
| | <u>Draw off taps; stop valves; copper alloy to BS 5154 or BS 1010:</u> | | | |
| A | 50mm Diameter stop valve. | 19 | No | Local. |
| B | 25mm Diameter stop valve | 30 | No | Local. |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|--|----|----|--------|
| C | 50mm Diameter non-return valve. | 2 | No | Local. |
| D | 13mm Diameter bib taps. | 5 | No | Local. |
| E | Supply and install 6 water storage roof tank “SIMTANK” of 5000 liters capacity elevated to structural supports including ball valve; high and low DOMINO float switch, cover, ladder, and all necessary perforations for supply, distribution, overflow and washout pipes all as per Engineers instructions. | 6 | No | Local. |
| F | 15mm kitchen sink mixer chrome plated with swinging spout, single lever operation single flow swivel nozzle mounted to sink | 5 | No | Local. |
| G | 15mm Hand washing basin sink mixer chrome plated, single lever operation single flow swivel nozzle mounted to sink | 98 | No | Local. |
| H | Supply and fix water booster pumps, “GRUNDFOS” automatic Type: CR45-4; Flow: Q = 30-55m ³ /h; H: H = 60-95m; or equivalent and approved; connecting to pipes as necessary; fixed on and including concrete base and grille cage with corrugated sheet cover to protect pumps from rain | 2 | No | Local. |
| | FOUL WATER DRAINAGE | | | |
| | <u>GULLY TRAP</u> | | | |
| J | Construct a standard gully trap 300*300mm deep; in thick concrete block walls complete with benching and all fittings and gully trap cover | 22 | No | Local. |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|---|-----|------|--------|
| K | Supply and Install 150mm diameter pipes Unplasticised PVC pipes and fittings; class 'E' . | 380 | M | Local. |
| L | Sewerage System connection from | 1 | Item | Local. |
| | SUBSTRUCTURE | | | Local. |
| | EXCAVATION AND EARTH WORKS | | | Local. |
| | | | | |
| A | Sand @ 4m3 Lorry | 7 | trip | Local. |
| B | Stones @ 4m3 Lorry | 5 | m3 | Local. |
| C | Dragnet FT " Soil steralization | 2 | Ltrs | Local. |
| D | <u>Damp Proof Membrane</u> | | | |
| | 500 Gauge polythene damp proof membranes | 77 | m2 | Local. |
| | | | | |
| | <u>CONCRETE WORK</u> | | | |
| E | To Foundation and steps | | | |
| | cement | 70 | Bags | Local. |
| | Sand | 6 | m3 | Local. |
| | Aggregates | 15 | m3 | Local. |
| F | Reinforcement | | | |
| | 1 Roll @ 1.8 x 15m | 3 | Roll | Local. |
| G | Formwork | | | |
| | 1" x 10" softwood | 200 | ft | Local. |
| H | Blockwork | | | |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|--------------------------------------|-----|------|--------|
| | Blocks | 760 | Nr | Local. |
| | | | | Local. |
| A | Mortor for blocks | | | |
| | Cement | 15 | Bags | Local. |
| | Sand | 1 | m3 | Local. |
| B | Damp Proof Course | | | |
| | DPC @ 0.23 x 20m | 13 | Roll | Local. |
| C | Terrazo floor finish | | | |
| | Aggregates 1bag=25kg | 57 | Bags | Local. |
| | White cement | 23 | Bags | Local. |
| | Black and white Strips @2m | 15 | Pcs | Local. |
| | Stones 8"x4" | 2 | Pcs | Local. |
| | Coloured powder | 2 | Bags | Local. |
| | Polish @3.5 ltrs | 1 | Bckt | Local. |
| | Wood 6"x2"("Vifuu") | 5 | Pcs | Local. |
| D | <u>Mild Steel Ballustrade System</u> | | | |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|---|------|------|--------|
| | Provide all materials, fabricate and fix mild steel balustrade system size 900mm high comprising of 50x50x1.5mm thick mild steel hollow tubular uprights spaced at 900mm centres welded to and including mild steel plate and associated bolts and nuts;including 50x4mm thick mild steel handrail, 16mm mild steel vertical bars 250mm c/c and 50x4mm thick intermediate rails as per detail drawing painted with red oxide before and after fixing and finally with three Gloss oil paint | 30 | M | Local. |
| E | Fixation of Handrail | 50 | M | Local. |
| | | | | |
| | X-RAY and THEATRE | | | |
| A | Blockwork | | | Local. |
| | 150mm Thick double wall | 2250 | Nr | Local. |
| | 150mm Thick wall | 7490 | 7490 | Local. |
| B | Mortor for blocks (10mm thick joints (1:2) to wall) | | | |
| | Cement | 34 | Bags | Local. |
| | Sand | 2 | m3 | Local. |
| | | | | Local. |
| C | Mortor for blocks (10mm thick joints (1:3) to wall) | | | |
| | Cement | 9 | Bags | Local. |
| | Sand | 2 | m3 | Local. |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|--|-----|-------|--------|
| | | | | Local. |
| D | Plaster to walls (15mm plaster (1:3) to wall) | | | |
| | Cement | 30 | Bags | Local. |
| | Sand | 2 | m3 | Local. |
| E | Plaster to walls (15mm plaster (1:3) to wall) | | | |
| | Cement | 88 | Bags | Local. |
| | Sand | 9 | m3 | Local. |
| F | Doors and Windows | | | |
| | 1100x2400mm high Lead door | 3 | Nr | Local. |
| | 1000x1000mm high lead glass | 3 | Nr | Local. |
| G | Plaster and screed to ramp side walls, columns, columns and lift shaft and soffite of stairs | | | Local. |
| | Cement | 367 | Bags | Local. |
| | Sand | 55 | m3 | Local. |
| | | | | |
| A | Metal works to ducts | | | |
| | 1.5x1x2mm thick square pipe | 112 | Pc | Local. |
| | 2x1x2mm thick square pipe | 188 | Pc | Local. |
| | 1x1x2mm thick square pipe | 244 | Pc | Local. |
| | 2" Black pipe Class B | 8 | Pc | Local. |
| | 4mm thick plate | 12 | Sheet | Local. |
| | 16 Gauge plate sheet | 42 | Sheet | Local. |

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Completion of Maternity Block at Mawenzi Regional Referral Hospital – Kilimanjaro) (Mawenzi Regional Referral Hospital – Kilimanjaro)

GN NO. 585 (Contd)

| | | | | |
|---|--|------|-----------------|--------|
| | 16mm diameter bar | 18 | Pc | Local. |
| | 1.5" Door hinges | 24 | Pairs | Local. |
| | Welding rods | 110 | kg | Local. |
| | Cutting & grinding discs | 80 | Pc | Local. |
| | Red oxide | 20 | Tin | Local. |
| | | | | Local. |
| B | Other materials | | | |
| | Brushes | 10 | Nr | Local. |
| | Concrete cutting Disc | 100 | Pc | Local. |
| | Sand paper | 3000 | ft | Local. |
| | Roller brush | 30 | Nr | Local. |
| | Subend for roof treatment | 97 | 20 Ltrs Buck | Local. |
| | Fitbond SBR | 5 | 20 Ltrs Buck | Local. |
| | Fibre Tape 1 Roll @ 100m | 35 | Nr | Local. |
| | SikaLite | 220 | Kg | Local. |
| | Cement 42.5N | 140 | Bags | Local. |
| | Gypsum screws | 160 | Boxes | Local. |
| | Seal Xtra, Backing rod and fabric membrane | 378 | m | Local. |

Dodoma,
11 July, 2020

PHILIP .I. MPANGO,
Minister of Finance and Planning