

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd) (Amendment)

GOVERNMENT NOTICE No. 1070 Published On. 25/12/2020

THE VALUE ADDED TAX ACT,
(CAP. 148)

ORDER

(Made under section 6(2))

THE VALUE ADDED TAX (EXEMPTION) (SUPPLY OF PUMP AND GENERATOR PROJECTS IN KATAVI, KIGOMA, MANYARA, SINGIDA AND TABORA REGION) (RURAL WATER SUPPLY (RUWASA)) (M/S DAVIS & SHIRTLIFF LTD) (AMENDMENT) ORDER, 2020

Citation
G.N No.
560 of 2020

1. This Order may be cited as the Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (RUWASA)) (M/s Davis & Shirliff Ltd) (Amendment) Order, 2020 and shall be read together with Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (RUWASA)) (M/s Davis & Shirliff Ltd) Order, 2020 hereinafter referred to as the principal Order.

Amendment
of
paragraph 4

2. The principal Order is amended in paragraph 4 by deleting the expiry date and substituting for it the following: “31st day of December, 2020”.

Amendment
of Schedule

3. The principal Order is amended by deleting the Schedule and substituting for it the following:

*Value Added Tax (Exemption) (Supply of Pump and Generator Projects in
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply
(Ruwasa)) (M/S Davis & Shirtliff Ltd) (Amendment)*

GN. NO. 1070 (Contd.)

SCHEDULE

(Made under paragraph 2(1))

GOODS AND SERVICE

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
	GOODS			
1.	7.5KW motor capacity; Discharge of 8.6m ³ /h at 168m head; minimum overall motor/pump efficiency of 50%; Drop cable 132m length size compatible with motor capacity; Heavy duty UPVC rises pipes 130m size compatible with flow; Safety rope 132m; steel cover plate 6mm thick 150mm diam; steel adapter set; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Makuru Water Project in Manyoni District	Set	1	Local
2.	3KW motor capacity; Discharge of 4.2m ³ /h at 118m head; minimum overall motor/pump efficiency of 40%; Drop cable 67m length size compatible with motor capacity; Heavy duty UPVC rises pipes 65m size compatible with flow; Safety rope 67m; steel cover plate 6mm thick 150mm diam; steel adapter set; 20m power (armoured) cable compatible with motor capacity; Joint Kit; for Mitundu Water Project in Manyoni District	Set	1	Local
3.	3KW motor capacity; Discharge of 3.8m ³ /h at 118m head; minimum overall motor/pump efficiency of 40%; Drop cable	Set	1	Local

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd) (Amendment)

GN. NO. 1070 (Contd.)

	82m length size compatible with motor capacity; Heavy duty UPVC rises pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Kashangu Water Project in Manyoni District			
4.	4KW motor capacity; Discharge of 4.4m ³ /h at 132m head; minimum overall motor/pump efficiency of 40%; Drop cable 92m length size compatible with motor capacity; Heavy duty UPVC rises pipes 90m size compatible with flow; Safety rope 92m; steel cover plate 6mm thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Kitalaka Water Project in Manyoni District	Set	1	Local
5.	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 3KW motor capacity; Discharge of 3.2m ³ /h at 132m head; minimum overall motor/pump efficiency of 45%; Drop cable 96m length size compatible with motor capacity; Heavy duty UPVC rises pipes 94m size compatible with flow; Safety rope 96m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Wembere Water Project in Iramba District	Set	1	Local
6.	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 5m ³ /h at 154m head; minimum overall motor/pump efficiency of 50%; Drop cable 92m length size compatible with motor capacity; Heavy duty UPVC rises pipes 90m size compatible with flow; Safety rope 92m; steel cover plate	Set	1	Local

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd) (Amendment)

GN. NO. 1070 (Contd.)

	6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Kyalosangi Water Project in Iramba District			
7	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 9.8m ³ /h at 170m head; minimum overall motor/pump efficiency of 55%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC rises pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Ibaga Water Project in Mkalama District	Set	1	Local
8	Submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 10.7m ³ /h at 170m head; minimum overall motor/pump efficiency of 55%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC rises pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Mughano Water Project in Singida District	Set	1	Local
9	Submersible pump complete with motor, control panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 8.04m ³ /h at 218m head; minimum overall motor/pump efficiency of 52%; Drop cable 112m length size compatible with motor capacity; Heavy duty UPVC rises pipes	Set	1	Local

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd) (Amendment)

GN. NO. 1070 (Contd.)

	110m size compatible with flow; Safety rope 112m; steel cover plate 6mm thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Nyaranga Water Project in Manyoni District			
10	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 9.5m ³ /h at 100m head; minimum overall motor/pump efficiency of 55%; Drop cable 32m length size compatible with motor capacity; Heavy duty UPVC rises pipes 29m size compatible with flow; Safety rope 32m; steel cover plate 6mm thick 150mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Mgela Water Project in Iramba District	Set	1	Local
11	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 4KW motor capacity, together with all necessary accessories to be installed at Kitalaka Water Project in Manyoni District with the following specifications: Generator 15KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems; Key start control panel as standard, digital auto start.	Set	1	Local
12	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 3KW motor capacity, together with all necessary accessories to be installed for Wembere Water Project in Iramba District with the following specifications:	Set	1	Local
12.1	Generator 12KVA; dry type air filter, fuel filter, oil filter;	Set	1	Local

*Value Added Tax (Exemption) (Supply of Pump and Generator Projects in
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply
(Ruwasa)) (M/S Davis & Shirtliff Ltd) (Amendment)*

GN. NO. 1070 (Contd.)

	12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems; Key start control panel as standard, digital auto start.			
13	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 7.5KW motor capacity, together with all necessary accessories to be installed at Makuru Water Project in Manyoni District with the following specifications:	Set	1	Local
13.1	Generator 29KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems; Key start control panel as standard, digital auto start.	Set	1	Local
14	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 7.5KW motor capacity, together with all necessary accessories to be installed at Nyaranga Water Project in Manyoni District with the following specifications:	Set	1	Local
14.1	Generator 29KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems; Key start control panel as standard, digital auto start.	Set	1	Local
15	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 4KW motor capacity, together with all necessary accessories to be installed at Mgela Water Project in Iramba District with the following specifications:	Set	1	Local
15.1	Generator 15KVA; dry type air filter, fuel filter, oil filter;	Set	1	Local

*Value Added Tax (Exemption) (Supply of Pump and Generator Projects in
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply
(Ruwasa)) (M/S Davis & Shirliff Ltd) (Amendment)*

GN. NO. 1070 (Contd.)

	12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems; Key start control panel as standard, digital auto start.			
16.1	Supply of surface pump complete with motor, control panel and other accessories with following specifications: 3-Phase, star-delta starting method; 30KW motor capacity; Vertical multistage pump with capacity to discharge of 35.31m ³ /h at 165m head; minimum overall motor/pump efficiency of 70%; cooling method-spines; 5m power (armoured) cable compatible with motor capacity; for Munyegera Water Project in Buhigwe District	Set	1	Local
17.1	Supply of surface pump complete with motor, control panel and other accessories with following specifications: 3-Phase, star-delta starting method; 30KW motor capacity; Vertical multistage pump with capacity to discharge of 33.16m ³ /h at 179m head; minimum overall motor/pump efficiency of 70%; cooling method-spines; 5m power (armoured) cable compatible with motor capacity; for Kitanga Water Project in Kasulu District	Set	1	Local
18.1	Supply of surface pump complete with motor, control panel and other accessories with following specifications: 3-Phase, star-delta starting method; 30KW motor capacity; Vertical multistage pump with capacity to discharge of 38.8m ³ /h at 150m head; minimum overall motor/pump efficiency of 72%; cooling method-spines; 5m power (armoured) cable compatible with motor capacity; for Kinazi Water Project in Buhigwe District	Set	1	Local
19.1	Supply of submersible pump complete with motor, control	Set	1	Local

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd) (Amendment)

GN. NO. 1070 (Contd.)

	panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 8m ³ /h at 196m head; minimum overall motor/pump efficiency of 50%; Drop cable 67m length size compatible with motor capacity; Heavy duty UPVC rises pipes 65m size compatible with flow; Safety rope 67m; steel cover plate 6mm thick 150mm diam; steel adapter set; 5m power (armoured) cable compatible with motor capacity; Joint Kit; for Kilungu Water Project in Uyui District			
20.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 3KW motor capacity; Discharge of 4.5m ³ /h at 141m head; minimum overall motor/pump efficiency of 43%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC rises pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Ishihimlwa Water Project in Uyui District	Set	1	Local
21.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 7.5m ³ /h at 104m head; minimum overall motor/pump efficiency of 53%; Drop cable 32m length size compatible with motor capacity; Heavy duty UPVC rises pipes 30m size compatible with flow; Safety rope 32m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Kanoge Water Project in Kaliua District	Set	1	Local
23.1	Supply of submersible pump complete with motor, control	Set	1	Local

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd) (Amendment)

GN. NO. 1070 (Contd.)

	panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 9.5m ³ /h at 93m head; minimum overall motor/pump efficiency of 54%; Drop cable 92m length size compatible with motor capacity; Heavy duty UPVC rises pipes 90m size compatible with flow; Safety rope 92m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Iboja- Sigili Water Project in Nzega District			
24.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 3.8m ³ /h at 197m head; minimum overall motor/pump efficiency of 42%; Drop cable 102m length size compatible with motor capacity; Heavy duty UPVC rises pipes 100m size compatible with flow; Safety rope 102m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Mogwa Water Project in Nzega District	Set	1	Local
25.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 3KW motor capacity; Discharge of 3.4m ³ /h at 162m head; minimum overall motor/pump efficiency of 45%; Drop cable 72m length size compatible with motor capacity; Heavy duty UPVC rises pipes 70m size compatible with flow; Safety rope 72m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Kayombo Water Project in Nzega District	Set	1	Local
26.1	Supply of submersible pump	Set	1	Local

*Value Added Tax (Exemption) (Supply of Pump and Generator Projects in
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply
(Ruwasa)) (M/S Davis & Shirtliff Ltd) (Amendment)*

GN. NO. 1070 (Contd.)

	complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 3.9m ³ /h at 172m head; minimum overall motor/pump efficiency of 43%; Drop cable 62m length size compatible with motor capacity; Heavy duty UPVC rises pipes 60m size compatible with flow; Safety rope 62m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Usunga Water Project in Sikonge District			
27.1	3KW motor capacity; Discharge of 3.8m ³ /h at 154m head; minimum overall motor/pump efficiency of 41%; Drop cable 92m length size compatible with motor capacity; Heavy duty UPVC rises pipes 90m size compatible with flow; Safety rope 92m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Kabanga Water Project in Nzega District	Set	1	Local
28.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 3KW motor capacity; Discharge of 3.6m ³ /h at 154m head; minimum overall motor/pump efficiency of 43%; Drop cable 82m length size compatible with motor capacity; Heavy duty UPVC rises pipes 80m size compatible with flow; Safety rope 82m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Mwamala Water Project in Nzega District	Set	1	Local
29.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge	Set	1	Local

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd) (Amendment)

GN. NO. 1070 (Contd.)

	of 3.8m ³ /h at 180m head; minimum overall motor/pump efficiency of 43%; Drop cable 72m length size compatible with motor capacity; Heavy duty UPVC rises pipes 70m size compatible with flow; Safety rope 72m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Maguguni Water in Igunga District			
30	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 4KW motor capacity, together with all necessary accessories to be installed at Mgela Water Project in Iramba District with the following specifications:	Set	1	Local
30.1	Generator 15KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems; Key start control panel as standard, digital auto start.	Set	1	Local
31	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 4KW motor capacity, together with all necessary accessories to be installed for Kanoge Water Project in Uyui District with the following specifications:	Set	1	Local
31.1	Generator 15KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems; Key start control panel as standard, digital auto start.	Set	1	Local
32	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 3KW motor capacity, together with all necessary accessories to	Set	1	Local

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd) (Amendment)

GN. NO. 1070 (Contd.)

	be installed at Kayombo Water Project in Uyui District with the following specifications:			
32.1	Generator 12KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems; Key start control panel as standard, digital auto start.	Set	1	Local
33	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 4KW motor capacity, together with all necessary accessories to be installed for Maguguni Water Project in Uyui District with the following specifications:	Set	1	Local
33.1	Generator 15KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems; Key start control panel as standard, digital auto start.	Set	1	Local
34.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 3KW motor capacity; Discharge of 5m ³ /h at 130m head; minimum overall motor/pump efficiency of 44%; Drop cable 70m length size compatible with motor capacity; Heavy duty UPVC rises pipes 68m size compatible with flow; Safety rope 70m; steel cover plate 6mm thick 140mm diam; steel adapter set; 15m power (armoured) cable compatible with motor capacity; Joint Kit; for Endakiso Water Project in Babati District	Set	1	Local
35.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 7.5KW motor capacity;	Set	1	Local

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd) (Amendment)

GN. NO. 1070 (Contd.)

	Discharge of 12.43m ³ /h at 150m head; minimum overall motor/pump efficiency of 55%; Drop cable 78m length size compatible with motor capacity; Heavy duty UPVC rises pipes 75m size compatible with flow; Safety rope 78m; steel cover plate 6mm thick 150mm diam; steel adapter set; 8m power (armoured) cable compatible with motor capacity; Joint Kit; for Narakauo Water in Simanjiro District			
36.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 10m ³ /h at 180m head; minimum overall motor/pump efficiency of 52%; Drop cable 83m length size compatible with motor capacity; Heavy duty UPVC rises pipes 80m size compatible with flow; Safety rope 83m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Oljoro no 5 Water in Simanjiro District	Set	1	Local
37.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 7.5KW motor capacity; Discharge of 10m ³ /h at 180m head; minimum overall motor/pump efficiency of 54%; Drop cable 43m length size compatible with motor capacity; Heavy duty UPVC rises pipes 40m size compatible with flow; Safety rope 43m; steel cover plate 6mm thick 150mm diam; steel adapter set; 10m power (armoured) cable compatible with motor capacity; Joint Kit; for Semonyandi Water Project in Mbulu District	Set	1	Local
38.1	Supply of submersible pump complete with motor, control panel and other accessories with	Set	1	Local

*Value Added Tax (Exemption) (Supply of Pump and Generator Projects in
Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply
(Ruwasa)) (M/S Davis & Shirtliff Ltd) (Amendment)*

GN. NO. 1070 (Contd.)

	following specifications: 7.5KW motor capacity; Discharge of 10m ³ /h at 180m head; minimum overall motor/pump efficiency of 53%; Drop cable 26m length size compatible with motor capacity; Heavy duty UPVC rises pipes 24m size compatible with flow; Safety rope 26m; steel cover plate 6mm thick 150mm diam; steel adapter set; 6m power (armoured) cable compatible with motor capacity; Joint Kit; for Gidimadoy Water in Mbulu District			
39.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 4KW motor capacity; Discharge of 5m ³ /h at 176m head; minimum overall motor/pump efficiency of 45%; Drop cable 80m length size compatible with motor capacity; Heavy duty UPVC rises pipes 78m size compatible with flow; Safety rope 80m; steel cover plate 6mm thick 150mm diam; steel adapter set; 6m power (armoured) cable compatible with motor capacity; Joint Kit; for Hiradaw Water Project in Hanang District	Set	1	Local
40.1	Set; 13m power (armoured) cable compatible with motor capacity; Joint Kit; for Dawari Water Project in Hanang District	Set	1	Local
41.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 5.5KW motor capacity; Discharge of 7m ³ /h at 175m head; minimum overall motor/pump efficiency of 55%; Drop cable 81m length size compatible with motor capacity; Heavy duty UPVC rises pipes 78m size compatible with flow; Safety rope 81m; steel cover plate 6mm thick 150mm diam; steel adapter set; 13m power (armoured) cable compatible with motor capacity; Joint Kit; for	Set	1	Local

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirliff Ltd) (Amendment)

GN. NO. 1070 (Contd.)

	Dumbeta WaterProject in Hanang District			
42.1	For Gisambala/Waranga Water Project in Hanang District	Set	1	Local
43	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 7.5KW motor capacity, together with all necessary accessories to be installed at Gisambala/Waranga Water Project in Hanang District with the following specifications:	Set	1	Local
43.1	Generator 30KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems; Key start control panel as standard, digital auto start.	Set	1	Local
44.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 7.5 KW motor capacity; Discharge of 10m ³ /h at 150m head; minimum overall motor/pump efficiency of 53%; Drop cable 104m length size compatible with motor capacity; Heavy duty UPVC rises pipes 100m size compatible with flow; Safety rope 104m; steel cover plate 6mm thick 150mm diam; steel adapter set; 8m power (armoured) cable compatible with motor capacity; Joint Kit; for Kibaoni Water Project in Mlele District	Set	1	Local
45.1	Supply of submersible pump complete with motor, control panel and other accessories with following specifications: 5.5KW motor capacity; Discharge of 10m ³ /h at 120m head; minimum overall motor/pump efficiency of 55%; Drop cable 94m length size compatible with motor capacity; Heavy duty UPVC rises pipes 91m size compatible with flow;	Set	1	Local

Value Added Tax (Exemption) (Supply of Pump and Generator Projects in Katavi, Kigoma, Manyara, Singida and Tabora Region) (Rural Water Supply (Ruwasa)) (M/S Davis & Shirtliff Ltd) (Amendment)

GN. NO. 1070 (Contd.)

	Safety rope 94m; steel cover plate 6mm thick 150mm diam; steel adapter set; 34m power (armoured) cable compatible with motor capacity; Joint Kit; for Mtisi Water Project in Mpanda District			
46	Supply of soundproof/silent type diesel driven Generator that can drive a submersible pump of 5.5KW motor capacity, together with all necessary accessories to be installed for Itenka A Water Project in Mpanda District with the following specifications:	Set	1	Local
46.1	Generator 20KVA; dry type air filter, fuel filter, oil filter; 12/24DC start motor and charge alternator; storage battery; min 8 hours operation base fuel tank; high efficiency muffler to reduce noise; control systems; Key start control panel as standard, digital auto start.	Set	1	Local

Dodoma,
7th December, 2020

PHILIP I. MPANGO
Minister of Finance and Planning