

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

Government Notice No. 35 Published On. 8/1/2021

THE VALUE ADDED TAX ACT,
(CAP. 148)

ORDER

(Made under section 6(2))

THE VALUE ADDED TAX (EXEMPTION) (RESILIENT AND SUSTAINABLE SYSTEMS FOR HEALTH PROGRAM) (PROPOSED COMPLETION OF HEALTH FACILITIES FOR COVID 19 CONTAINMENT AT MANYARA REGIONAL REFERRAL HOSPITAL) (MINISTRY OF HEALTH, COMMUNITY DEVELOPMENT, GENDER, ELDERLY AND CHILDREN) ORDER, 2020

Citation and
Commencement

1. This Order may be cited as the Value Added Tax (Exemption) (Resilient And Sustainable Systems For Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital)(Ministry of Health, Community Development, Gender, Elderly and Children) Order, 2020 and shall be deemed to have come into operation on the 30th day of November, 2020.

Exemption

2. Subject to the conditions specified in paragraph 3 of this Order, and any other conditions as may be specified by the Commissioner, the whole of the Value Added Tax payable on the goods or services specified in the Schedule to this Order imported or purchased prior to clearance through customs or locally purchased by Manyara Regional Referral Hospital on behalf of the Ministry of Health, Community Development, Gender, Elderly and Children on project of Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital is hereby exempt.

Conditions

3. The exemption granted under this Order shall cease to have effect and the Value Added Tax shall become due and payable as if this exemption had not been granted where the said goods and services are

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

used for other purposes, sold or disposed of in any way to another person not entitled to enjoy similar privileges conferred under this Order.

Expiry

4. This Order shall expire on the 28th day of July, 2021.

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

SCHEDULE

(Made under paragraph 2)

GOODS AND SERVICE

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
1.0	Mawe	57	Cm	Local
2.0	Mchanga	197	Cm	Local
3.0	Gammaline 20EC	5	litre	Local
4.0	Gammaline 20EC	3	litre	Local
5.0	Saruji 42.5R.	457	50Kg/Mfuko	Local
6.0	Kokoto 19mm dia.	89	Cm	
				Local
7.0	Squaremesh (8mm bar)	99	12m/ PC	
				Local
8.0	8mm Kipenyo Nondo HT.	30	8m/ PC	
9.0	Mawe	57	Cm	Local
10.0	16mm Kipenyo Nondo HT.	10	16mm/Pc	Local
11.0	12mm Kipenyo	75	12mm/Pc	Local
12.0	16mm Kipenyo Nondo HT.	10	16mm/Pc	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
13.0	Binding wire	113	Roll	Local
14.0	Timber 25x150mm	191	3.6m/Pc	Local
15.0	Timber 50x100mm	46	3.6m/Pc	Local
16.0	Misumari 3"	77	Kg	Local
17.0	230mm unene	6880	Block	Local
18.0	1800x2100mm. DD1.	2	Na.	Local
19.0	1670x2100mm.D	1	Na	Local
20.0	1500x2100mm. DD2	5	Na	Local
21.0	1500x2100mm. DD3	3	Na	Local
22.0	1400x2200mm.	5	Na	Local
23.0	1350x2200mm.	4	Na	Local
24.0	1110x2200mm.	5	Na	Local
25.0	900x2500mm. D1	12	Na	Local
26.0	800x2100mm. D2	9	Na	Local
27.0	950x2100mm. D2	1	Na	Local
28.0	800x2100mm. D	41	Na	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
29.0	750x2100mm. D	8	Na	Local
30.0	700x2100mm. D	18	Na	Local
31.0	Fremu 900 x 2900mm	1	Na	Local
32.0	Mbao 50x150x3000mm	30	Pc	Local
33.0	6mm unene 1.65x2.1m	50	Pc	Local
34.0	750x2100mm.	8	Na	Local
35.0	Cylinder mortice lockset EX. Hafele	79	Na.	Local
36.0	Door indicator Ex. Hafele	24	Na	Local
37.0	100mm Aluminium butt hinges	149	Na	Local
38.0	Flush bolt 151mm	80	Na	Local
39.0	Automatic wall mounted spring Hinges	158	Na	Local
40.0	200x(800-1200)mm long alu.kicking plate	518	Na	Local
41.0	200mm Bumper plate	518	Na	Local
42.0	Automatic Overhead door closer; DORMA TS 72 series	79	Na	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
43.0	Vibaovyaalama za milangoni	79	Na	Local
44.0	Dirisha la aluminium 3600x1900mm	1	Na	Local
45.0	Dirisha la aluminium 2000x1900mm	2	Na	Local
46.0	Dirisha la aluminium 1800x1900mm	6	Na	Local
47.0	Dirisha la aluminium 1285x1900mm	1	Na	Local
48.0	Dirisha la aluminium 1000x1700mm	4	Na	Local
49.0	Dirisha la aluminium 1800x1780mm	44	Na	Local
50.0	Dirisha la aluminium 1800x2100mm	3	Na	Local
51.0	Dirisha la aluminium 800x800mm	25	Na	Local
52.0	Dirisha la aluminium 800x1200mm	2	Na	Local
53.0	Dirisha la aluminium 1000x1780mm	3	Na	Local
54.0	Dirisha la aluminum 1800x1740mm	1	Na	Local
55.0	Dirisha la aluminium 400x800mm	1	Na	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
56.0	Dirisha la aluminium 370x800mm	1	Na	Local
57.0	Dirisha la aluminium 800x2200mm	2	Na	Local
58.0	Dirisha la aluminium 1000x1300mm	2	Na	Local
59.0	Dirisha la aluminium 1000x1780mm	1	Na	Local
60.0	Dirisha la aluminium 800x1300mm	1	Na	Local
61.0	Aluminum window 1200x1780mm	1	Na	Local
62.0	Aluminum window 1600x1780mm	1	Na	Local
63.0	Aluminum window 950x1780mm	1	Na	Local
64.0	Aluminum window 460x12100mm	1	Na	Local
65.0	Tiles 300x300x8mm	55	16Pcs/Box	Local
66.0	120 x 600mm Skirting	66	25pcs/Box	Local
67.0	Tiles 200x450x6mm	70	16Pcs/Box	Local
68.0	Aluminum Strip for Expansion Joint	54	m	Local
69.0	Tiles 200x450x6mm	70	16Pcs/Box	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
70.0	25 x 250mm Fascia board	152	3.6m/Pc	Local
71.0	Props	2272	3.5m/Pc	Local
72.0	Weatherguard paint	1040	Litres	Local
73.0	Brush int 4	14	Na.	Local
74.0	Rangiyamaji	3370	Litres	Local
75.0	White cement Jk	67	15Kg/Mfuko	Local
76.0	Msasa Na.80 & 120	855	M	Local
77.0	Rola brush (Ex. Italy)	31	Na	Local
78.0	Stuko binder	2880	Litres	Local
79.0	Spatra	22	Na	Local
80.0	Silky paint	1040	Litres	Local
81.0	Epoxy paint; unene 3mm	260	SM	Local
82.0	Clear Varnish	20	Litres	Local
83.0	Standard thinner	25	Litres	Local
84.0	Bitumen paint	80	Litres	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
85.0	Wood primer	16	Litres	Local
86.0	Kitchen sink; single bowl	4	Pcs	Local
87.0	Scrubbing sink	2	Set	Imported
88.0	Sluice sink	1	Set	Imported
89.0	Mixer	6	Pc	Local
90.0	Angle valve; 1/2"	77	Pcs	Local
91.0	Bolt basin	80	Pcs	Local
92.0	Urinal bowl "ARROW"; complete	9	Pcs	Local
93.0	Flexible pipe; 600mm long	19	Pcs	Local
94.0	Bib cork; 1/2"	15	Pcs	Local
95.0	Floor drain; complete	6	Pcs	Local
96.0	Water Tank 10000litres	1	Na	Local
97.0	Back nut 19mm dia.	1	Na	Local
98.0	Gate valve 25mm EX. Pex	1	Na	Local
99.0	Gate valve 19mm EX.	1	Na	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
	Pex			
100.0	Thread seal tape	50	Na	Local
101.0	25mm dia. IPS pipe	8	Na	Local
102.0	19mm dia. IPS pipe	8	Na	Local
103.0	19mm dia. IPS elbow	20	Na	Local
104.0	19mm dia. IPS tee	18	Na	Local
105.0	19mm dia. IPS connector	12	Na	Local
106.0	Water Tank 10000litres	1	Na	Local
107.0	Back nut 19mm dia.	1	Na	Local
108.0	Gate valve 25mm EX. Pex	1	Na	Local
109.0	Gate valve 19mm EX. Pex	1	Na	Local
110.0	Thread seal tape	50	Na	Local
	Supply hose reel pipes and fittings in galvanized heavy grade material to BS 1387 and BS 1256:			
	Pipes and fittings in running length fixed to backgrounds requiring plugging			
111.0	50mm diameter, I Pipe	400	m	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
112.0	32mm diameter, I pipe	80	m	Local
113.0	25mm diameter, I pipe	70	m	Local
114.0	Elbow 50mm diameter	15	No.	Local
115.0	Elbow 32mm diameter	15	No	Local
116.0	Elbow 25mm diameter	15	No	Local
117.0	Tee 50 x32mm	15	No	Local
118.0	Tee 32 x 25mm	15	No	Local
119.0	Union GI 25mm	15	No	Local
120.0	Gate valve 25mm diameter		No.	Local
121.0	Automatic Fire Hose Reel, swinging type, 25mm diameter hose, 30m long, with gate valve(upstream) and shut off nozzle, complete	8	No	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
122.0	Hose reel pump Automatic fire pumping package on the basement with capacity 10m ³ /hr - 4bar, including pressure tank, valve, flange, control panel, on and off switch and all necessary accessories etc. Manufactured by GRUNDFOS or similar approved. There should be two pumps, one operating and the other standby	2	No	Local
123.0	Portable fire extinguisher bottles Dry powder (ABC), 9kg mounted on wall	8	No	Local
124.0	Portable fire extinguisher bottles Carbon dioxide (Co ₂), 9kg mounted on wall	8	No	Local
125.0	Single split Air condition Cooling Capacity; 2.8KW with R410A.	14	NO	Local
126.0	Single split Air condition Cooling Capacity; 3.5KW with R410A	23	NO	Local
127.0	Single Split Air Condition Cooling Capacity; 4.5KW with R410A.	28	NO	Local
128.0	Single Split Air Condition Cooling Capacity; 5.2KW with	19	NO	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
	R410A.			
129.0	Single Split Air Condition Cooling Capacity; 7.2KW with R410A.	7	NO	Local
130.0	Refrigerant pipe 6.4mm dia. BS 2771	588	No	Local
131.0	Refrigerant pipe 9.5mm dia. BS 2771	308	No	Local
132.0	Refrigerant pipe 12.7mm dia. BS 2771	400	No	Local
133.0	Refrigerant pipe 15.9mm dia. BS 2771	50	No	Local
	Inter-Unit Wiring			
	Supply the following control wiring cables in conduit, including all necessary accessories.			
134.0	2.5mm ² PVC/PVC flexible three core copper cable	1150	Lm	Local
135.0	Rigid PVC condensate drain pipe 12.7mm dia.	650	Lm	Local
	Refrigerant Gas			
136.0	Supply Refrigerant gas for charging on site	12	Kg	Local
137.0	Extract Fan Axial Window/Wall type with Automatic shutter extract fans as specified.			

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
138.0	300L/s Capacity at 20Pa Static Pressure	1	No	Local
139.0	Window/Wall type extract fans as specified			
	Extract Fan 20L/s Capacity at 20Pa Static Pressure	8	No	Local
140.0	Extract Fan 30L/s Capacity at 20Pa Static Pressure	47	No	Local
141.0	Extract Fan 60L/s Capacity at 30Pa Static Pressure	19	No	Local
	12Ways 1200A Free standing Low Voltage Sub Panel Board, Front accessible "Block Set" type tested Switch gear assemblies (TTA) to IEC 439-1 metal clad comprising of ABB MCCBs as follows:-			
142.0	1 # 400A 3pole MCCBs.	1	No	Local
143.0	1 x 13A switch socket as ABB or equivalent	1	No	Local
144.0	2 x 13A switch socket as ABB or equivalent	143	No	Local
145.0	20A Double pole switch with neon indicator as ABB for Air Conditioner or equivalent	38	No	Local
146.0	45A DP Cooker Control Unit With neon indicator as ABB or Equivalent	1	No	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
147.0	63A TPN Isolator Switch as ABB make or equivalent	4	No	Local
148.0	1 x 36W fluorescent luminaire with economy diffuser complete with lamp (Type B) or equivalent	208	No	Local
149.0	1 x 18W fluorescent luminaire with economy diffuser complete with lamp as (Type C) or equivalent	46	No	Local
150.0	Slim circular luminaire in white chrome finish c/w 2D 16W LPF control gear as (Type E) or equivalent	13	No	Local
151.0	Enclosed polycarbonate wall mounting luminaire for low voltage lamp high pressure sodium /pressure mercury lamp with IP65 protection and vandal- resistant fixings Standard HPS-T 70W (Type Z) or equivalent	13	No	Local
152.0	Self- Contained , fluorescent indoor Emergency bulkhead for maintained lighting of 3hours duration Integral control gear Bulk head (Type EM) or equivalent	16	No	Local
153.0	Self-contain double			

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
	sided exit sign for suspension cantilever mounting with 8W fluorescent tube, non-maintained 3hours duration or equivalent	3	No	Local
154.0	80W 56 Sweep ceiling fan c/w regulator, ceiling rose and hooks as National of Japan or equivalent	58	No	Local
155.0	10A 1 gang 1 way flush light switch as ABB or equivalent	35	No	Local
156.0	10A 1 gang 2 way flush light switch as ABB or equivalent	34	No	Local
157.0	10A 2gang 1way flush light switch as ABB or equivalent	58	No	Local
158.0	10A 2gang 2way flush light switch as ABB or equivalent	9	No	Local
159.0	10A 3gang 1way flush light switch as ABB or equivalent	13	No	Local
			No	
160.0	10A intermediate flush light switch as ABB or equivalent	2		Local
161.0	2 x 4c x 300 mm2 PVC/SWA/PVC Copper cable for Power Supply from nearest pole to Main Distribution panel ground floor as MCL/ EURO make.	145	Lm	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
162.0	110mm Dia. heavy gauge PVC conduit for incoming Power supply cable in Main house as Africab make PVC (Pipe Class D	27	No	Local
163.0	50mm x 170mm 3 – compartment PVC trunk as Legrand/Marshall Ex UK	100	No	Local
164.0	Frame Plate etc.	55	No	Local
165.0	Context Plus Four loop panel 16 zone, formerly SP4(112-0027) c/w PSU and Batteries Part No. 8580- 4200 as C- Tec (UK) or equivalent	1	No	Local
166.0	XP95 optical smoke detector + base 55000-600+45681-210 (branded Context Plus)- LPCB APPROVED as C- Tec (UK) or Equivalent (Cat No 55000-6001MC +45681-2100	81	No	Local
167.0	XP95 high temperature heat detector + base 55000-400+45681-210 (branded Context Plus) –LPCB APPROVED as C- Tec (UK)	3	No	Local
168.0	XP95 red manual addressable call point - 55100-908 with built – in 20 devices isolator (branded Context Plus)	7	No	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
	–LPCB APPROVED Formerly 55000-905IMC as C- Tec (UK) (Cat No. 55100-908IMC or Equivalent)			
169.0	24V red voltage loop powered sounder with deep base (IP65) as C- Tec (UK) Cat No.55100-908IMC or Equivalent	5	No	Local
170.0	Unswitched spur unit double pole	4	No	Local
171.0	2 x 13A switch socket as ABB or equivalent	28	No	Local
172.0	20A Double pole switch with neon indicator as ABB for Air Conditioner or equivalent	11	No	Local
173.0	20 A Double Pole control switch marked " Water Heater " with neon indicator ABB or equivalent	2	No	Local
174.0	45 A Double Pole control switch with neon indicator for sterilization machine as ABB	4	No	Local
175.0	32A TPN Isolator Switch as ABB or equivalent	4	No	Local
176.0	16A SPN Isolator Switch as ABB make or equivalent	4	No	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
177.0	Self- Contained , fluorescent indoor Emergency bulkhead for maintained lighting of 3hours duration Integral control gear as Bulk head (Type EM) or Equivalent	4	No	Local
178.0	Self-contain single sided exit sign for suspension cantilever mounting with 8W fluorescent tube, non-maintained 3hours duration or Equivalent	1	No	Local
179.0	80W 56 Sweep ceiling fan c/w regulator, ceiling rose and hooks as National of Japan or Equivalent	58	No	Local
180.0	10A 3gang 2 way flush light switch c/w steel box ABB Cat No. CSW 302 Ex UK or Equivalent	1	No	Local
181.0	1c x 2.5mm2 PVC Copper Cabie as EURO/MCL cable make.	3420	Lm	Local
182.0	1c x 2.5mm2 PVC Copper Cabie as EURO/MCL cable make. (Red)	2100	Lm	Local
183.0	1c x 2.5mm2 PVC Copper Cabie as EURO/MCL cable make. (Black)	2100	Lm	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
184.0	1c x 2.5mm ² PVC Copper Cable as EURO/MCL cable make. (Yellow/Green)	2100	Lm	Local
185.0	25mm Dia heavy gauge PVC conduit for Isolators, socket Unit c/w all necessary accessories as MCL make	50	No	Local
186.0	50mm x 170mm 3 – compartment PVC trunk as Legrand/Marshall Ex UK	95	No	Local
187.0	Accessories for PVC trunks:-End Cup	50	No	Local
188.0	3 # 63A 3pole MCCBs.	1	No	Local
189.0	2 x 13A switch socket as ABB cat No CSO213 Ex UK or Equivalent	49	No	Local
190.0	20A Double pole switch with neon indicator completed ABB cat. No. CSW134 for Air Conditioner or Equivalent	11	No	Local
191.0	Enclosed polycarbonate wall mounting luminaire for low voltage lamp high pressure sodium /pressure mercury lamp with IP65 protection and vandal- resistant fixings Standard HPS-T 70W (Type Z) or	3	No	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
	equivalent			
192.0	10A 4gang 1way flush light switch as ABB Cat No. CSW 202 Ex UK	5	No	Local
193.0	2X4c x 95.0mm ² PVC /SWA/PVC copper cable from Sub panel Distribution board to Distribution board as EURO/ MCL make	140	Lm	Local
194.0	50mm x 170mm 3 – compartment PVC trunk as Legrand/Marshall Ex UK	100	No	Local
195.0	XP95 optical smoke detector + base 55000-600+45681-210 (branded Context Plus)- LPCB APPROVED as C- Tec (UK) (Cat No.55000 – 600IMC + 45681 -45681-210 or equivalent)	11	No	Local
196.0	XP95 high temperature heat detector + base 55000-400+45681-210 (branded Context Plus) –LPCB APPROVED as C- Tec (UK) (Cat No. 55000-600IMC + 45681 – 210 or equivalent)	1	No	Local
197.0	XP95 red manual addressable call point - 55100-908 with built – in 20 devices isolator (branded Context Plus) –LPCB APPROVED	1	No	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
	Formerly 55000-905IMC as C- Tec (UK) or Equivalent			
198.0	24V red Voltage loop powered sounder with deep base (IP65) as C- Tec (UK) Cat No.55100-908IMC or Equivalent	1	No	Local
199.0	bases as Speedwell Cat No. TPC 1520 or equivalent	6	No	Local
200.0	Air Terminal base for item No.1 above as Speedwell (Cat No. ATBC 172 or equivalent)	6	No	Local
201.0	Ridges as Speedwell Cat No. RS34 or equivalent	6	No	Local
202.0	The surface of the building as Speedwell Cat No. DCTC or equivalent	420	No	Local
203.0	3mm copper tape as Speedwell make Cat. No, MPC or equivalent	15	No	Local
204.0	25 x 3mm high conductivity hard drawn bare copper			
205.0	tapes as Speedwell Cat No. HDCB253 or equivalent	380	Lm	Local
206.0	1200mm x 15mm Dia Solid copper earth rod as (Speedwell Cat No. TPC 1520 or	12	No	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
	equivalent)			
207.0	100A/0.3 TPN Incomer built in metal enclosure Sub Distribution Board with 6No. 63A out goes c/w neutral and earth copper terminating bars 4ways to be installed at G/ Floor	1	No	Local
208.0	Distribution Board with rated fixed MCBs c/w neutral and earth copper terminating bars 4 ways for clean power supply as ABB make	1	No	Local
209.0	2 x 13A switch socket with neon indicator c/w frame place as ABB Cat No.CSO213	29	No	Local
210.0	2C x 6mm ² PVC/SWA/PVC Copper cable from Sub Panel to Distribution Board as Euro Cable make or equivalent	25	Lm	Local
211.0	1c x 10mm ² PVC/PVC Copper cable bear earth conductor for interconnection of Sub Panel and Clean Power Distribution Board as Euro Cable make or equivalent.	25	Lm	Local
212.0	2C x 16mm ² PVC/SWA/PVC Copper cable from Sub Panel to Sub Distribution Board as Euro Cable make or	150	No	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
	equivalent			
213.0	50mm dia. heavy gauge PVC conduit for Crossing the Pavement to all Floors supply c/w all necessary accessories as PLASCO make approved Equivalent	10	No	Local
214.0	63A/O.3A TPN RCD incomer built in metal enclosure ambition Board with rated fixed MCBs and c/w neutral and earth copper terminating bars 4ways as ABB make.	1	No	Local
215.0	Purpose made 3200A Cu Busbar to accommodate outgoing MCCB's 1250A TP (2No) and 1600A TP (1No) to accommodate 2 Nos Sub panel boards(A&B) and 1 spare with Voltage, Current and Frequency reading provision c/w installation accessories as ABB make.	1	No	Local
216.0	100mmsq Aluminum Bundled Conductor to supply power from Substation to new building	70	Lm	Local
217.0	9m LV wooden pole	1	No	Local
218.0	PG clamps	6	Pcs	Local

Value Added Tax (Exemption) (Resilient and Sustainable Systems for Health Program) (Proposed Completion of Health Facilities for Covid 19 Containment at Manyara Regional Referral Hospital) (Ministry of Health, Community Development, Gender, Elderly and Children)

GN. NO. 35 (Contd.)

S/N	ITEM DESCRIPTION	QUANTITY (QTY)	UNIT OF MEASURE	PLACE OF PURCHASE OF ITEMS (Local or Imported)
219.0	Stay c/w installation accessories including stay wire, stay insulator, base plate, guy grip	1	Set	Local
220.0	D-Iron, Shackle insulators	6	No	Local
221.0	Danger Plate	1	No	Local
222.0	Pole Cap	1	No	Local
223.0	4Cx600mmsq PVC/SWA/PVC Cu Cable from new panel to LV Pole as EURO/MCL make or any approved equivalent.	50	Lm	Local
224.0	1Cx400mmsq PVC/SWA/PVC Cu Cable from transformer to existing panel as EURO/ MCL make or any approved equivalent.	85	Lm	Local

Dodoma,
24th December, 2020

PHILIP I. MPANGO
Minister of Finance and Planning